

GENERAL PREFACE

This book is one of the volume from a set of FIVE books. It is not a substitute for the text book. Instead it is a helping book to understand the text more clearly.

Our standard of education is deteriorating very fast. The major factors are hand-books, keys, madeeasy books, notes, and finally tuition. I know there is a war in progress. This Self Study Series is an attempt to enhance the level of education. It is to be reminded that this set of FIVE Books is simply a guide to help the text book. Without prescribed text book these books are nothing.

It's a new idea in the field of F. Sc. Physics. It is a sincere effort for making prescribed text more important than any other helping books.

Comments, suggestions and criticisms are invited for the sake of education to improve this book.

F. C. College, Lahore. Ross Nazir Ullah

INTRODUCTION

The major definitions of this book have been taken from my book entitled "Basic Physics". This volume is more or less like a dictionary. As you read the text and whenever you stuck with some difficult word, just consult this Book of Definitions. The definitions of some words or terminology are given step by step as the prescribed text book states. I must confess few definitions have duplication even on the same page due to step by step effort of writing them. An index is added for further convenience at the end.

The readers should point out more words/ terminology not understood in the text. These will be accepted with gratitude so that those can be added in the next edition.

Ross Nazir Ullah

CONTENTS

	General Preface	3
	Introduction	5
	Contents	7
1.	Measurements	9-14
2.	Vectors and Equilibrium	15-16
3.	Motion and Force	17-20
4.	Work and Energy	21-23
5.	Circular Motion	24-26
6.	Fluid Dynamics	27-28
7.	Oscillations	29-31
8.	Waves	32-38
9.	Physical Optics	39-41
10.	Optical Instruments	42-45
11.	Heat and Thermodynamics	46-50
	Index	51-57
	Electromagnetic Spectrum	58
	Planets	59

MEASUREMENTS (Chapter 1)

Science: The inventory of all things observable together with carefully drawn statements				
about the habitual behaviour of things animate and inanimate.				
Physics: It is the study of the properties of matter, energy and of their mutual relationship.				
Philosophy: The study and knowledge of the principles that cause, control, or explain facts				
and events.				
Natural Philosophy: The study and knowledge of facts and events pertaining to physical				
universe.				
Biology: The science, which deals with the origin and life history of plants and animals				
including botany and zoology.				
Biological science: The science, which deals with living things.				
Natural science: Relating to the physical universe of a particular branch of nature.				
Physical: Pertaining to nature; material as opposed to moral or spiritual.				
Physical science: The science, which deals with non-living things.				
Chemistry: The study of the elements and compounds they form.				
Astronomy: The science, which treats of the heavenly bodies, their composition, their				
distances, their motions, and the laws which control them.				
Geology: The science that collects studies and explains the facts about the history of				
the earth and its life especially as recorded in the rocks				
Machaniage The study of the effects of forzes on metter				
We channes: The study of the effects of forces of matter.				
Heat & Inermodynamics: The study of heat and thermodynamics with inter-linked matters.				
Heat: Heat is a form of energy associated with molecular motion.				
Thermodynamics: Study of quantitative relationships between heat and other forms of energy.				
Electromagnetism: The study of electricity and magnetism with inter related phenomena.				
Electricity: The nature and effects of moving or stationary electric charges.				
Magnetism: The study of the nature and cause of magnetic force fields, and how				
different substances are affected by them.				
Optics: Branch of Physics which deals with the study of the behaviour of light.				
Sound: The series of disturbances in matter to which the human ear is sensitive. Also similar				
disturbances in matter above and below the normal range of human hearing.				
Hydrodynamics: A branch of science of deformable bodies, being a study of the motion of				
fluids (liquid and gases)				
Snacial relativity: It gives a unified account of the laws of mechanics and of				
algebrom and the second of the faws of mechanics and of				
non accelerated frames of reference				
Compared and the first of the second and t				
General relativity: It deals with general relative motion between accelerated frames of				
reference				
Quantum Mechanics: A branch of Mechanics that deals with quantum numbers and				
other applications of the quantum theory.				
Atomic physics: Branch of physics that deals with the structure and interaction of atoms				
and ions with one another, and their interaction with electromagnetic field				
and free electrons.				
Molecular physics: Branch of physics, which deals with structure and properties of				
molecules.				
Nuclear Physics: It deals with the questions of nuclear structure and the radiation from				
unstable nuclei				
Solid State Physics. The study of the structure and physical properties of solids				
some state i nysics. The study of the structure and physical properties of solids.				

Particle Physics: Study of elementary particles, the fundamental constituents of all matter. **Super conductivity:** The effective disappearance of electrical resistance in certain

- substances when they are cooled close to absolute zero.
- Super-fluid: A fluid that flows without any resistance.
- **Super fluidity:** A property of liquid helium at very low temperatures. At 2.186 K liquid helium makes a transition to a super-fluid state, which has a high thermal conductivity and flows without friction.
- **Plasma:** A highly ionized gas containing approximately equal numbers of positively charged ions and negatively charged electrons.
- Plasma Physics: The study of the properties and behaviour of the matter in plasma state.
- Magneto hydrodynamics (MHD): The study of the behaviour of a conducting fluid (e.g. an ionized gas, plasma, or collection of charged particles) under the influence of a magnetic flux.
- **Plasma:** A mixture of free electrons and ions or atomic nuclei. Plasmas occur in thermonuclear reactions, as in the Sun.
- Magnetic flux: The strength of the magnetic field through an area, based on the idea of the number of lines of force passing through the area.
- **Space physics:** The study of the properties and behaviour of celestial bodies and regions above the earth.
- Astrophysics: The study of the internal structure, properties, and evolution of celestial bodies, and the production and expenditure of energy in such systems and in the universe as a whole.
- Celestial: Pertaining to the heavens; as stars are celestial bodies.
- **Biophysics:** Physics of biological systems, with the use of physical methods in the study of biological problems, and with the biological effects of physical agents.
- **Chemical physics:** Branch of physics which deals chemical laws based upon quantum physics.
- **Engineering physics:** Branch of physics which deals with the design and construction of public works such as roads, railways and harbours.
- Geophysics: The Physics of the Earth and the air and space surrounding it.
- **Medical physics:** The application of physics to medicine, as in the radiotherapy, nuclear medicine, and medical electronics.
- **Radiotherapy:** The use of the beams of ionizing radiation, such as, X-rays, gamma rays, and energetic electrons in the treatment of cancer.
- **Nuclear medicine:** The branch of medicine concerned with the application of radioactive nuclei in diagnosis and therapy.
- **Electronics:** The study and use of circuitry involving such components as semiconductors, resistors, capacitors, and inductors.
- Physical oceanography: Physical study and description of the ocean.
- **Music:** The art or science of making pleasing or harmonious combinations of sound tones. **Noise:** Sound produced by irregular vibrations in matter.
- Harmony: A combinations of musical tones which is pleasant to the ears.
- **Physics of music:** Physics of expressions in sound, in melody and harmony, including composition and executing, especially instrumental performance.
- **Telescope:** An optical system for collecting radiation from a distant object and producing an enlarged image.
- **Radio telescope:** A type of telescope used in radio astronomy to record and measure the radio frequency emissions from celestial radio sources.
- **Radio astronomy:** The study of astronomy through the radio signals emitted by some celestial body.

Radio: Use of electromagnetic radiation to transmit or receive electrical impulses or signals without connecting wires. Also the process of receiving or transmitting such signals.

Radio waves (Hertzian waves): Electromagnetic radiation produced by rapid reverses of current in a conductor.

- **Expanding universe:** Lines in the spectrum of the light from remote galaxies are shifted towards the long wavelength end by an amount that is greater for those galaxies known to be farthest away. This leads to the conclusion that the distance between clusters of galaxies is continuously increasing.
- **Big-bang theory:** The theory in cosmology that all matter and radiation in the universe originated in a violent explosion that occurred $10-20 \times 10^9$ years ago. Since this initial state of extreme density & temperature, universe has expanded and cooled.
- **Galaxy:** A giant assembly of stars, gas, and dust held together and organized largely by the gravitational interactions between its components. Galaxies contain most of the observable matter in the universe.
- **Proton:** An elementary particle having a rest mass of 1.6725×10^{-27} kg with a unit positive electric charge.
- **Neutrons:** An elementary particle with zero charge and a rest mass of 1.67492 x 10⁻²⁷ kg. Neutrons are nucleons, found in all nuclides except ¹H.
- **Mesons:** Elementary particles, that more massive than electrons but lighter than protons and neutrons. Mesons are thought to be involved in the exchange forces between nucleons in the nucleus.
- Nucleon: A particle found in the nucleus of atoms; i.e. a proton or a neutron.
- **Molecule:** A single atom or a group of atoms joined by chemical bonds. It is the smallest unit of a chemical compound that can have an independent existence.

Physics: It is the study of the properties of matter, energy and of their mutual relationship. **Electromagnetic radiation:** Energy propagated by vibrating electric and magnetic fields.

Electromagnetic radiation forms a whole electromagnetic spectrum, depending upon frequency and ranging from high frequency cosmic rays to low frequency microwaves.

- **Cosmic rays:** High-energy particles, apparently coming from beyond our solar system. **Microwave:** An electromagnetic wave with a wavelength in the range 1 mm to 100 mm, i.e.
 - with a frequency in the range 300 to 3GHz.
- **Nuclear Physics:** It deals with the questions of nuclear structure and the radiation from unstable nuclei.

Nucleus (plural Nuclei): The positively charged dense central part of an atom.

Relativistic Mechanics: Mechanics based on theory of relativity which leads to fourdimensional space-time concept.

Solid State Physics: The study of the structure and physical properties of solids.

- **Physical chemistry:** The study of physical changes associated with chemical reactions and dependence of physical properties on chemical composition.
- **Biophysics:** Physics of biological systems, with the use of physical methods in the study of biological problems, and with the biological effects of physical agents.
- Astrophysics: The study of the internal structure, properties, and evolution of celestial bodies, and the production and expenditure of energy in such systems and in the universe as a whole.

Celestial: Pertaining to the heavens; as stars are celestial bodies.

Health physics: A branch of medical physics concerned with the health and safety of personnel in medical, scientific, and industrial work. It is most particularly concerned with protection from ionizing radiation and from neutrons.

Information technology (IT): Any form of technology, primarily electronic equipment and techniques, used by people to handle and distribute information. It includes the technology of both computing and of telephony, television, and other forms of telecommunication.

Chip: A small piece of a single crystal of semiconductor material containing either a single electronic component or an integrated circuit.

Diameter: The length of a straight line through the centre of a circle.

- **Metalloid:** One of those non-metallic elements that resemble the metals in some of their properties, as arsenic and antimony.
- **Semiconductor (or Semiconductor device):** A material such as silicon or germanium that has a resistivity midway between that of conductors and that of insulators.
- Silicon: (14Si) An element of fourth group of periodic table, having four electrons in its outermost shell called valence electrons. It is used in semi-conductor devices in the form of single crystal.
- **Physical quantity:** The quantity, in terms of which, the laws of physics are expressed, e.g. mass, length, and time, etc.
- **Mass:** A measure of the quantity of matter.

Length: Basic dimension for measuring linear translation.

Time: A measurable period during which something exists, continues, or takes place.

Velocity: The distance covered in unit time in a particular direction.

Force: That which produces or prevents motion, or has a tendency to do so.

Density: The ratio of the mass of a substance to its volume.

Temperature: Degree of hotness as determined by a thermometer.

Electric current: A flow of electric charge.

Base quantities: Certain physical quantities such as length, mass and time.

Derived quantities: The physical quantities defined in terms of base quantities.

Velocity: The distance covered in unit time in a particular direction.

Acceleration: i) Rate of change of velocity. ii) Change of velocity in unit time.

Force: That which produces or prevents motion, or has a tendency to do so.

Accessible: Easy to reach; open to influence.

Invariable: Constant; uniform; unchanging.

Compromise: A settlement by which each party gives up something; to combine of two systems, plans, or the like, made by sacrifice on the part of each.

- System International (SI): The internationally adopted system of units used for scientific purposes. It has seven base units (the metre, kilogram, second, kelvin, ampere, mole, and candela) and two supplementary units (the radian and steradian).
- **FPS System:** The system in which the three fundamental units are the units of length, weight and time; namely, foot, pound, and second respectively.
- **MKS System:** The system in which the three fundamental units are the units of length, mass, and time; namely, metre, kilogram and second respectively.
- **CGS System:** The system in which, the three fundamental units are the units of length, mass, and time; namely, centimeter, gram, and second respectively.

British Engineering System: The system in which the three fundamental units are the units of force, length, and time; namely, pound, yard, and second.

Amenable: Easy to lead; ready to accept advice.

Arithmetical manipulation: To operate skillfully and artfully with numbers and figures. Base units: There are seven base units for various physical quantities namely: length, mass,

time, temperature, electric current, luminous intensity and amount of substance.

Unit: A reference value of a quantity used to express other values of the same quantity.

Derived units: The units of physical quantities expressed in terms of fundamental units. **Fundamental units:** The units, for example, length, mass, and time that form the basis of most systems of units.

Supplementary units: Certain SI units, for time being, plane angle and solid angle, which are not yet classified by the General conference of Weights and Measures.

Angle: Figure formed by lines/surfaces meeting or the space between such lines/surfaces. **Plane angle:** The figure formed by lines meeting in a flat or even surface.

- **Solid angle:** The three dimensional analogue of angle; it is subtended at a point by a surface (rather than by a line).
- **Radian:** The angle subtended at the centre of a circle by an arc equal in length to its radius. **Steradian:** It is the solid angle (three-dimensional angle) subtended at the center of a sphere
 - by an area of its surface equal to the square of radius of the sphere.
- **Newton:** The force required to accelerate one kilogram of mass at the rate of one metre per second squared.

Joule: The amount of work done, when a force of one Newton acting on a body displaces it through a distance of 1 meter along the direction of force.

Watt: It is the power of an agency which does work at the rate of 1 joule per second. Pascal: The SI unit of pressure, equal to a pressure of one Newton per square metre. Coulomb: The SI unit of electric charge, equal to the charge transported by an electric

current of one ampere flowing for one second.

Scientific notation: A system of signs or symbols of science, used in place of language.Symbol: A mark, character or letter representing something; as a symbol in mathematics.Prefix: A letter or a syllable placed at the beginning of a word to modify its meaning.Micrometer screw gauge: A measuring instrument with a fine screw for very mall and accurate measuring up to 0.01 mm.

Error: A mistake; an inaccuracy.

Uncertainty: Not sure; doubtful.

Random error: Error due to fluctuations in the measured quantity.

Systematic error: Error due to incorrect design or calibration of the measuring device.

- Significant figures: In any measurement, the accurately known digits and the first doubtful digit are called significant figures.
- **Uranium:** A hard heavy, white metallic element which possesses radioactive properties, having three isotopes ${}_{92}U^{238}$, ${}_{92}U^{235}$, ${}_{92}U^{234}$.
- **Mount Everest:** The highest mountain in the world, with a height 8,850 m, rises in the Himalayas on the frontier of Nepal and Tibet.

Round: Exact; whole; complete.

Rounded off figure: The figures of whole number up to (say) two decimal point.

- Accuracy: In measurements considering the relative error. The less relative error gives more accurate result.
- **Precision (or absolute uncertainty):** In measurements considering the magnitude of error. The less magnitude of error gives more precise measurement; it is equal to the least count of the measuring instrument.
- **Fractional uncertainty:** The ratio of the least count of the measuring instrument with the recorded reading.
- **Percentage uncertainty:** Obtained after multiplying fractional uncertainty with 100/100 to get % of that quantity.
- **Primary colours:** Red, yellow, green and blue, by mixing of which any desired colour may be obtained.
- Four colour scheme: Combining four printing plates of primary colours to get the natural colour of certain object.

Basic colours: Black, white and red are traditional colours for chalk or crayon drawings. **Exquisite:** Highly finished and refined.

- **Bunsen burner:** A laboratory gas burner having a vertical metal tube into which the gas is led, with a hole in the side of the base of the tube to admit air.
- Aluminium (Al): A silvery-white lustrous metallic element belonging to group III of the periodic table.
- **Mercury (Hg):** A heavy silvery liquid metallic element belonging to the zinc group. **Alcohols:** Organic compounds that contain the –OH group.
- Pluto: Ninth planet from the Sun and outermost known member of the solar system.
- **Cesium (Cs):** White, soft, chemically reactive metallic element in group 1a of the periodic table. The atomic number is 55.
- Atomic clock: The clock in which the periodic process is a molecular or atomic event associated with a particular spectral line.
- Dimension: A measurement of any sort; especially length, height and width.
- **Dimensional analysis:** A technique whose main uses are: a) to test the probable correctness of an equation between physical quantities; b) to provide a safe method of changing the units in a physical quantity; c) to solve partially a physical problem whose direct solution cannot be achieved by normal methods.
- **Homogeneity (adj. homogeneous):** Uniform; of the same kind or nature; composed of similar elements.
- **Principle of homogeneity:** The dimensions of the quantities on both sides of the equation should be same, irrespective of the form of the formula.
- Anchor: A heavy iron implement for securing vessel to the ground under water or any similar thing to hold fast a movable object.
- **Pallet:** A click or pawl used to convert or reciprocating into a rotatory motion or the reverse.
- **Modulus of elasticity (or Elastic Modulus):** The ratio of the stress on a body to the strain produced. There are various modulii of elasticity depending on the type of stress applied.

VECTORS AND EQUILIBRIUM (Chapter 2)

Scalar quantity or Scalar: A physical quantity which is completely specified by a number
associated with a suitable unit without any mention of direction in space.
Vector quantity or Vector: A physical quantity which requires both a magnitude in
proper units and a direction for its complete description; Graphically it
is represented by a straight line, length of which is equal to its
magnitude and arrow-head shows its direction.
Coordinate: Suitable sets of numbers with which the positions of points are specified.
Cartesian coordinates (or Rectangular coordinates): Coordinates referred to three
mutually perpendicular straight lines.
Addition of vectors (head-to-tail rule): Addition of vectors is obtained by drawing their
representative lines in such a way that tail of first vector coincides with
the head of the second vector and so on. Join tail of first vector with the
head of last vector. This joining vector will represent the vector sum.
Resultant vector: The resultant of a number of similar vectors, is the single vector which
would have the same effect as all the original vectors taken together.
Vector subtraction: The subtraction of a vector is equivalent to the addition of the same
vector with its direction reversed.
Multiplication of a vector by a scalar: The product of a vector A and a number $n > 0$ is
defined to be a new vector $n\mathbf{A}$ having the same direction as \mathbf{A} but a
magnitude n times the magnitude of \mathbf{A} .
Unit vector: A vector in a given direction with magnitude one in that direction.
Null vector: It is a vector of zero magnitude and arbitrary direction.
Equal vectors: Two vectors A and B are said to be equal if they have the same magnitude
and direction, regardless of the position of their initial points.
Components of a vortex A component of a vortex is its affective value in a given direction
Components of a vector: A component of a vector is its effective value in a given difection.
Rectangular components (of a vector): Resolving of a vector into components along
Rectangular components (of a vector): Resolving of a vector into components along mutually perpendicular directions called rectangular components.
Rectangular components (of a vector): Resolving of a vector into components along mutually perpendicular directions called rectangular components. Position vector: The position vector r is a vector that describes the location of a particle with
Rectangular components (of a vector): Resolving of a vector into components along mutually perpendicular directions called rectangular components. Position vector: The position vector r is a vector that describes the location of a particle with respect to the origin.
Rectangular components (of a vector): Resolving of a vector into components along mutually perpendicular directions called rectangular components. Position vector: The position vector r is a vector that describes the location of a particle with respect to the origin. Acrobat: One who performs skilled or daring gymnastic feats
 Rectangular components (of a vector): Resolving of a vector into components along mutually perpendicular directions called rectangular components. Position vector: The position vector r is a vector that describes the location of a particle with respect to the origin. Acrobat: One who performs skilled or daring gymnastic feats. Aisle: A passage way leading to the seats in a place of assembly
 Rectangular components (of a vector): Resolving of a vector into components along mutually perpendicular directions called rectangular components. Position vector: The position vector r is a vector that describes the location of a particle with respect to the origin. Acrobat: One who performs skilled or daring gymnastic feats. Aisle: A passageway leading to the seats in a place of assembly. Product of two vectors: There are two types of vector multiplications. The product of these
 Rectangular components (of a vector): Resolving of a vector into components along mutually perpendicular directions called rectangular components. Position vector: The position vector r is a vector that describes the location of a particle with respect to the origin. Acrobat: One who performs skilled or daring gymnastic feats. Aisle: A passageway leading to the seats in a place of assembly. Product of two vectors: There are two types of vector multiplications. The product of these two types is known as scalar product and vector product
 Rectangular components (of a vector): Resolving of a vector into components along mutually perpendicular directions called rectangular components. Position vector: The position vector r is a vector that describes the location of a particle with respect to the origin. Acrobat: One who performs skilled or daring gymnastic feats. Aisle: A passageway leading to the seats in a place of assembly. Product of two vectors: There are two types of vector multiplications. The product of these two types is known as scalar product and vector product. Scalar Product (or Dot Product): The Scalar or dot product of vectors A and B is the
 Rectangular components (of a vector): Resolving of a vector into components along mutually perpendicular directions called rectangular components. Position vector: The position vector r is a vector that describes the location of a particle with respect to the origin. Acrobat: One who performs skilled or daring gymnastic feats. Aisle: A passageway leading to the seats in a place of assembly. Product of two vectors: There are two types of vector multiplications. The product of these two types is known as scalar product and vector product. Scalar Product (or Dot Product): The Scalar or dot product of the magnitudes of the
 Rectangular components (of a vector): Resolving of a vector into components along mutually perpendicular directions called rectangular components. Position vector: The position vector r is a vector that describes the location of a particle with respect to the origin. Acrobat: One who performs skilled or daring gymnastic feats. Aisle: A passageway leading to the seats in a place of assembly. Product of two vectors: There are two types of vector multiplications. The product of these two types is known as scalar product and vector product. Scalar Product (or Dot Product): The Scalar or dot product of the magnitudes of the vectors by the cosine of the angle between them. Mathematically
 Rectangular components (of a vector): Resolving of a vector into components along mutually perpendicular directions called rectangular components. Position vector: The position vector r is a vector that describes the location of a particle with respect to the origin. Acrobat: One who performs skilled or daring gymnastic feats. Aisle: A passageway leading to the seats in a place of assembly. Product of two vectors: There are two types of vector multiplications. The product of these two types is known as scalar product and vector product. Scalar Product (or Dot Product): The Scalar or dot product of vectors A and B is the scalar quantity obtained by multiplying the product of the magnitudes of the vectors by the cosine of the angle between them. Mathematically,
 Rectangular components (of a vector): Resolving of a vector is the effective value in a given direction. Rectangular components (of a vector): Resolving of a vector into components along mutually perpendicular directions called rectangular components. Position vector: The position vector r is a vector that describes the location of a particle with respect to the origin. Acrobat: One who performs skilled or daring gymnastic feats. Aisle: A passageway leading to the seats in a place of assembly. Product of two vectors: There are two types of vector multiplications. The product of these two types is known as scalar product and vector product. Scalar Product (or Dot Product): The Scalar or dot product of the magnitudes of the vectors by the cosine of the angle between them. Mathematically, A · B = A B cos θ Vector Product (or Cross Product): The vector product of two vectors (say) A and B is
Components of a vector: A component of a vector is its effective value in a given direction. Rectangular components (of a vector): Resolving of a vector into components along mutually perpendicular directions called rectangular components. Position vector: The position vector r is a vector that describes the location of a particle with respect to the origin. Acrobat: One who performs skilled or daring gymnastic feats. Aisle: A passageway leading to the seats in a place of assembly. Product of two vectors: There are two types of vector multiplications. The product of these two types is known as scalar product and vector product. Scalar Product (or Dot Product): The Scalar or dot product of vectors A and B is the scalar quantity obtained by multiplying the product of the magnitudes of the vectors by the cosine of the angle between them. Mathematically, $A \cdot B = A B \cos \theta$ Vector Product (or Cross Product): The vector product of two vectors (say) A and B is defined to be a vector such that:
 Components of a vector: A component of a vector is its effective value in a given direction. Rectangular components (of a vector): Resolving of a vector into components along mutually perpendicular directions called rectangular components. Position vector: The position vector r is a vector that describes the location of a particle with respect to the origin. Acrobat: One who performs skilled or daring gymnastic feats. Aisle: A passageway leading to the seats in a place of assembly. Product of two vectors: There are two types of vector multiplications. The product of these two types is known as scalar product and vector product. Scalar Product (or Dot Product): The Scalar or dot product of vectors A and B is the scalar quantity obtained by multiplying the product of the magnitudes of the vectors by the cosine of the angle between them. Mathematically, A · B = A B cos θ Vector Product (or Cross Product): The vector product of two vectors (say) A and B is defined to be a vector such that: i) its magnitude is A B sin θ, θ being the angle between A and B
 Components of a vector: A component of a vector is its effective value in a given diffection. Rectangular components (of a vector): Resolving of a vector into components along mutually perpendicular directions called rectangular components. Position vector: The position vector r is a vector that describes the location of a particle with respect to the origin. Acrobat: One who performs skilled or daring gymnastic feats. Aisle: A passageway leading to the seats in a place of assembly. Product of two vectors: There are two types of vector multiplications. The product of these two types is known as scalar product and vector product. Scalar Product (or Dot Product): The Scalar or dot product of vectors A and B is the scalar quantity obtained by multiplying the product of the magnitudes of the vectors by the cosine of the angle between them. Mathematically, A · B = A B cos θ Vector Product (or Cross Product): The vector product of two vectors (say) A and B is defined to be a vector such that: i) its magnitude is A B sin θ, θ being the angle between A and B ii) its direction is perpendicular to the plane of A and B and can be
Rectangular components (of a vector): Resolving of a vector into components along mutually perpendicular directions called rectangular components. Position vector: The position vector r is a vector that describes the location of a particle with respect to the origin. Acrobat: One who performs skilled or daring gymnastic feats. Aisle: A passageway leading to the seats in a place of assembly. Product of two vectors: There are two types of vector multiplications. The product of these two types is known as scalar product and vector product. Scalar Product (or Dot Product): The Scalar or dot product of vectors A and B is the scalar quantity obtained by multiplying the product of the magnitudes of the vectors by the cosine of the angle between them. Mathematically, $A \cdot B = A B \cos \theta$ Vector Product (or Cross Product): The vector product of two vectors (say) A and B is defined to be a vector such that: i) its magnitude is A B sin θ , θ being the angle between A and B ii) its direction is perpendicular to the plane of A and B and can be determined by right-hand-rule. Mathematically,
Rectangular components (of a vector): Resolving of a vector into components along mutually perpendicular directions called rectangular components. Position vector: The position vector r is a vector that describes the location of a particle with respect to the origin. Acrobat: One who performs skilled or daring gymnastic feats. Aisle: A passageway leading to the seats in a place of assembly. Product of two vectors: There are two types of vector multiplications. The product of these two types is known as scalar product and vector product. Scalar Product (or Dot Product): The Scalar or dot product of vectors A and B is the scalar quantity obtained by multiplying the product of the magnitudes of the vectors by the cosine of the angle between them. Mathematically, $A \cdot B = A B \cos \theta$ Vector Product (or Cross Product): The vector product of two vectors (say) A and B is defined to be a vector such that: i) its magnitude is A B sin θ , θ being the angle between A and B ii) its direction is perpendicular to the plane of A and B and can be determined by right-hand-rule. Mathematically, $A \times B = A B \sin \theta n$
Rectangular components (of a vector): Resolving of a vector into components along mutually perpendicular directions called rectangular components. Position vector: The position vector r is a vector that describes the location of a particle with respect to the origin. Acrobat: One who performs skilled or daring gymnastic feats. Aisle: A passageway leading to the seats in a place of assembly. Product of two vectors: There are two types of vector multiplications. The product of these two types is known as scalar product and vector product. Scalar Product (or Dot Product): The Scalar or dot product of the magnitudes of the vectors by the cosine of the angle between them. Mathematically, $A \cdot B = A B \cos \theta$ Vector Product (or Cross Product): The vector product of two vectors (say) A and B is defined to be a vector such that: i) its magnitude is $A B \sin \theta$, θ being the angle between A and B ii) its direction is perpendicular to the plane of A and B and can be determined by right-hand-rule. Mathematically, $A \times B = A B \sin \theta$ n Right-hand rule (in Vector Product): First place together the tails of the two vectors.
 Components of a vector: A component of a vector is its effective value in a given direction. Rectangular components (of a vector): Resolving of a vector into components along mutually perpendicular directions called rectangular components. Position vector: The position vector r is a vector that describes the location of a particle with respect to the origin. Acrobat: One who performs skilled or daring gymnastic feats. Aisle: A passageway leading to the seats in a place of assembly. Product of two vectors: There are two types of vector multiplications. The product of these two types is known as scalar product and vector product. Scalar Product (or Dot Product): The Scalar or dot product of vectors A and B is the scalar quantity obtained by multiplying the product of the magnitudes of the vectors by the cosine of the angle between them. Mathematically, A · B = A B cos θ Vector Product (or Cross Product): The vector product of two vectors (say) A and B is defined to be a vector such that: i) its magnitude is A B sin θ, θ being the angle between A and B ii) its direction is perpendicular to the plane of A and B and can be determined by right-hand-rule. Mathematically, A x B = A B sin θ n Right-hand rule (in Vector Product): First place together the tails of the two vectors. Then rotate the vector that occurs first in the product into the
Components of a vector: A component of a vector is its effective value in a given diffection. Rectangular components (of a vector): Resolving of a vector into components along mutually perpendicular directions called rectangular components. Position vector: The position vector r is a vector that describes the location of a particle with respect to the origin. Acrobat: One who performs skilled or daring gymnastic feats. Aisle: A passageway leading to the seats in a place of assembly. Product of two vectors: There are two types of vector multiplications. The product of these two types is known as scalar product and vector product. Scalar Product (or Dot Product): The Scalar or dot product of vectors A and B is the scalar quantity obtained by multiplying the product of the magnitudes of the vectors by the cosine of the angle between them. Mathematically, $A \cdot B = A B \cos \theta$ Vector Product (or Cross Product): The vector product of two vectors (say) A and B is defined to be a vector such that: i) its magnitude is A B sin θ , θ being the angle between A and B ii) its direction is perpendicular to the plane of A and B and can be determined by right-hand-rule. Mathematically, $A \times B = A B \sin \theta n$ Right-hand rule (in Vector Product): First place together the tails of the two vectors. Then rotate the vector that occurs first in the product into the second vector through the smaller of the two possible angles. Curl
Components of a vector: A component of a vector is its effective value in a given diffection. Rectangular components (of a vector): Resolving of a vector into components along mutually perpendicular directions called rectangular components. Position vector: The position vector r is a vector that describes the location of a particle with respect to the origin. Acrobat: One who performs skilled or daring gymnastic feats. Aisle: A passageway leading to the seats in a place of assembly. Product of two vectors: There are two types of vector multiplications. The product of these two types is known as scalar product and vector product. Scalar Product (or Dot Product): The Scalar or dot product of vectors A and B is the scalar quantity obtained by multiplying the product of the magnitudes of the vectors by the cosine of the angle between them. Mathematically, $A \cdot B = A B \cos \theta$ Vector Product (or Cross Product): The vector product of two vectors (say) A and B is defined to be a vector such that: i) its magnitude is A B sin θ , θ being the angle between A and B ii) its direction is perpendicular to the plane of A and B and can be determined by right-hand-rule. Mathematically, $A \times B = A B \sin \theta n$ Right-hand rule (in Vector Product): First place together the tails of the two vectors. Then rotate the vector that occurs first in the product into the second vector through the smaller of the two possible angles. Curl the fingers of the right hand along the direction of rotation. The

16

Commutative Law: For a binary operation *,

$$a \ast b = b \ast a$$

Example: a + b = b + a and $a \cdot b = b \cdot a$ Associative Law: For a binary operation *,

$$(a * b) * c = a * (b * c)$$

Example: $(a \cdot b) \cdot c = a \cdot (b \cdot c)$ and (a + b) + c = a + (b + c)

Distributive law: For two binary operations * and o. The operation * is said to be

distributive over the operation o, if

$$a * (b \circ c) = (a * b) \circ (a * c)$$

 $a \cdot (b + c) = (a \cdot b) + (a \cdot c) \& a + (b \cdot c) \neq (a + b) \cdot (a + c)$ Example : **Relations between the sides and angles of a triangle:**

i) The Sine Formula	<u>a</u> . =	<u>b</u> . = <u>a</u>	<u> </u>
	sin w	$\sin \theta$ si	in ø
ii) The Cosine Formula	$\cos \theta = \underline{a^2 + b}$	$^{2} - R^{2}$	
	2	ah	

Spanner: A wrench for tightening or loosening nuts.

Nut: A metal piece having an internal screw thread, as for securing or adjusting a bolt.

Torque (or Moment of force): i) The physical quantity which produces angular acceleration. ii) Product of the force and its moment arm.

Moment arm: Perpendicular distance from the axis of rotation to the line of action of force. **Concurrent forces:** Forces acting together on a body.

Angular velocity (ω): The rate of change of angular displacement.

Angular acceleration (α): The rate of change of angular velocity.

Coplanar forces: Forces in a single plane.

Equilibrium: i) State of balance in which the sum of all the forces and the sum of all the moments are equal to zero. ii) If a body remains at rest or moves with uniform velocity, it is said to be in equilibrium.

Static equilibrium: State of rest.

Dynamic equilibrium: The state of a body moving with a uniform velocity or rotating with a uniform angular velocity.

Translational equilibrium: A body will be in translational equilibrium if and only if the vector sum of external forces acting on a body equal to zero.

Rotational equilibrium: An object is in rotational equilibrium if and only if the vector sum of external torque about any axis acting on it equals to zero.

Rigid body: A body is said to be rigid, if it is not possible to change its shape by the application of a force, however large.

Equilibrium of forces: If a body, under the action of a number of forces, is at rest or moving with uniform velocity, it is said to be in equilibrium.

First condition of equilibrium: Sum of all the force acting on a body along x-axis and along y-axis should be equal to zero. Mathematically

 $F_x = 0$ and $F_v = 0$

Second condition of equilibrium: The algebraic sum of all the torques acting on the

body should be zero. Mathematically: $\Sigma \tau = 0$

Astride: With the legs wide apart.

Polygon: A closed figure having many side and angles.

Rotation: Turning around its own axis or centre.

Configuration: Structured arrangement; figure; the spatial arrangement of atoms in a molecule or nucleons and electrons in an atom.

Span: The distance between two definite ends.

MOTION AND FORCE (Chapter 3)

Dynamics: The branch of Mechanics which deals with the motion of bodies under the influence of one or more forces. Motion: Continuous change of location of a body with respect to its surroundings. Linear motion: Motion in a straight line. Translational motion (or Rectilinear motion): A body moves with translational motion if each particle of the body undergoes the same displacement in a straight line in a given time. Rotational motion: A body moves with rotational motion if each particle of the body moves in a circle about a straight line called the axis of rotation. **Vibratory motion:** If the motion is back and forth over the same path about a mean position, it is called vibratory or oscillatory motion. **Rest:** The position of the body with respect to its surroundings when it does not change. Relative motion: The difference of two motions. Relative velocity: The vector difference of the two velocities. **Trajectory:** The path of a moving particle. SR-71(reconnaissance jet): The Lockheed SR-71 Blackbird is the world's fastest airplane. Originally designed for high-altitude military spy missions. Now used by NASA [National Aeronautical and Space Administration] for scientific research. Falcon: Fighter-bombers aircraft. They are dual purpose aircraft that can drop bombs and also fight enemy planes. e.g. F-16 fighting Falcon. Leopard: A large catlike beast of prey, with a beautiful spotted skin of yellow and black. Cheeta: An animal of the cat family, resembling the leopard, found in Pakistan, Persia, India and Northern Africa, often tamed and trained to hunt gazelles. **Porpoise:** Any of several small friendly whales from 5 to 8 feet long; commonly the dolphin. **Displacement:** Distance moved from a reference point in certain direction. **Speed:** i) The distance covered in unit time. ii) When a body moves, the rate of change of its position. **Velocity:** The distance covered in unit time in a particular direction. Acceleration: i) Rate of change of velocity. ii) Change of velocity in unit time. Average speed: Total distance covered divided by total time. **Instantaneous Speed:** The speed of a body in a particular instant. Uniform Speed: If a body moves over equal distances in equal intervals of time, however small, it is said to move with uniform speed. Variable Speed: When a body traverses unequal distances in equal intervals of time, it is said to move with variable speed. Uniform Velocity (or Constant Velocity): If a body moves over equal distances in equal intervals of time, however small, in a particular direction, it is said to move with uniform velocity. Variable Velocity: When a body traverses unequal distances in equal intervals of time, or when its direction of motion changes, it is said to move with a variable velocity. Gradient: The degree of inclination of a slope. Mathematically, it is the ratio of vertical distance to horizontal distance. Average Velocity: Total distance covered divided by total time taken in a particular direction.

Root mean square velocity: Square root of average of the square of molecular velocities.

Instantaneous Velocity: Velocity of a body in a particular instance. Symbolically it is defined as :

$$V = \lim_{\Delta t \to 0} \frac{\Delta S}{\Delta t}$$

Average Acceleration: If the change in velocity of a moving body during the time interval Δt is ΔV , then the average acceleration is defined as :

$$a_{av} = \Delta V \Delta t$$

Instantaneous Acceleration: The rate of change of velocity in a particular instant, symbolically,

$$a_{inst} = \lim_{\Delta t \to 0} \Delta V$$

Uniform Acceleration: If the velocity increases by equal amounts in equal intervals of time, it is said to be uniform acceleration.

Variable Acceleration: If the velocity increases by unequal amounts in equal intervals of time, it is said to be variable acceleration.

Deceleration (or Retardation): Rate of change of decrease of velocity; negative acceleration.

Wobble: To move unsteadily as a top (children's toy) while rotating at a low speed.

First Law of Motion: A body continues its state of rest or uniform motion in a straight line unless it is compelled to change that state of motion by a force impressed upon it.

Inertia: 1) The resistance of matter to any acceleration of its state of rest or motion. 2) The mass of the object is a quantitative measure of its inertia.

Second Law of Motion: The effect of an applied force on a body is to cause it to accelerate in the direction of the force. The acceleration is in direct proportion to the force and is inversely proportional to

the mass of the body.

Dimension: A measurement of any sort; especially length, height and width.

- **One dimension:** A measurement which needs a single reference point; e.g. a point on a line.
- **Two dimensions:** Measurement which needs two references; e.g. a point on a plane (x-y plane).
- **Three dimensions:** Measurement which needs three references; e.g. a point in space (x-y-z coordinate system).
- **Four dimensions:** Measurement which needs four reference; e.g. a point in space + time coordinates (relativistic frame of reference).

Missile: A thing thrown to injure another; a projectile.

Rocket: A missile or space vehicle powered by ejecting gas that carries both its own fuel and oxidant. They are independent of the earth's atmosphere and are the power system used in space flights.

Chamber: An enclosed space, such as, of a rocket, containing the explosive chemicals. **Fuel:** Inflammable material for supplying a fire or explosion.

Liquid oxygen: Condensed gaseous oxygen to a pale blue liquid that is strongly magnetic.

- Liquid hydrogen: Condensed gaseous hydrogen. It is colourless in small amounts but light blue in thick samples.
- **Propeller:** Such thing which drives forward especially a device with blades for causing an airplane or a ship to progress.
- **Rocket propulsion:** Rocket driving or pushing obtained from thrust of hot gases from engine exhaust.

Thrust: The forward reaction force of a jet or rocket engine.

Helicopter: A flying machine lifted and held up by horizontal propellers (rotating wings).

Aeroplane: An aircraft or flying machine, kept aloft by the reaction of motor-propelled planes upon the air also moves to wing borne flight.

Jet: Abbreviation for Joint European Torus.

- Jet propulsion: Propulsion of aircraft or other vehicles in which one or more jets of hot gases are ejected at high speed from backwardly directed nozzles.
- **Rocket motion:** The motion due to jet propulsion, i.e. due to thrust of hot gases from backwardly directed nozzles.
- Aeroplane motion: The motion due to aeroplane's wings designed to deflect the air and the propellers for causing the plane to move forward.

Helicopter motion: The motion due to the moving fans at the top of a helicopter.

- **Projectile motion:** Projectile motion is two dimensional motion under constant acceleration due to gravity.
- **Projectile:** i) An object launched in an arbitrary direction in space with the initial velocity having no mechanism of propulsion is called a projectile.
 - ii) Any particle in the gravitational field of the earth, whose trajectory is assumed to be sufficiently short to consider the earth flat, and the effects of air resistance and the rotation of the earth are neglected.
- **Propulsion:** A mechanism for driving forward with the mixture of fuel, engine or some shaft.

Simultaneously: Happening, done, or existing at the same time..

Trajectory: The path of a projectile.

Height of the projectile: The highest point a projectile attains during its flight.

Time of flight of projectile : The time taken by body to cover the distance from the place of its projection to the place where it hits the ground.

Range of the projectile: Maximum distance which a projectile covers in the horizontal direction.

Ellipse: A smooth oval curve as followed by planet Mars round the Sun.



Circle: It is the locus of points whose distance from a given fixed point (centre) is constant, (constant distance is called radius).

Ballistic: Of an instrument. Designed to measure an impact or brief flow of charge.Ballistic motion: A motion in which a projectile is given an initial push and is then allowed to move freely due to inertia and under the action of gravity.

Ballistic missile: An un-powered and un-guided missile is called a ballistic missile.

Ghori Missile: On 25 May 2002, Pakistan marks the third successful test fire of surface-to- surface ballistic Ghori Missile with a range of 1,500 km and the

Shaheen Missile with 800 km range.

On May 28 1998, Pakistan successfully tested its nuclear capability.

Abdali: Short range domestically developed surface-to-surface missile having a range of 180 kilometers, and would be able to reach most border positions in India.

Ghaznavi: The missile capable of carrying warheads accurately up to a range of 290 km.

Aerodynamics: The study of the motion of gases (particularly air) and the motion and control of solid bodies in air.

Aerodynamic forces: Forces exerted upon a body when it moves in air, such as, air friction.

Parallel: Having a like course, lines lying in the same direction and being equidistant at all points from another.

Anti-parallel: Lines lying in the <u>opposite</u> direction and being equidistant all points from another line.

Plausible: Seeming to be true without necessary being so; having the appearance of truth.

Amoeba: A one-celled, microscopic animal found in ponds; one of the simplest forms of life.

Propel: To drive onward; push as a bicycle.

SLBM (Submarine launched ballistic missile): Ballistic missile submarines carry up to

24 SLBMs tipped with nuclear warheads. These missiles are stored in vertical launch

tubes within the submarine, and can be launched while the sub is hidden underwater.

WORK AND ENERGY (Chapter 4)

Work: i) The work is done on a body when it is moved or stopped through a certain distance by the action of an applied force.

ii) The product of force and component of displacement in the direction of force.

Joule: The amount of work done, when a force of one Newton acting on a body displaces it through a distance of 1 meter along the direction of force.

Gravitation: Universal attraction between masses.

Gravitational field: The space around the earth within which it exerts a force of attraction on or near the surface of a celestial object.

Gravitational force (or Force of gravitational attraction): The mutual force of attraction which acts universally between two bodies of matter.

- **Conservative field:** In which the work done between two points in the field is independent of the path followed between the two points.
- **Gravitational field:** The space around the earth within which it exerts a force of attraction on other bodies.
- **Electric field:** The region in which an electric force acts on a charge brought into the region.
- **Magnetic field:** The region or space near a magnet where the effects of magnetism such as the deflection of a compass needle can be detected.
- **Elastic spring force:** A weighing spring normally spiral coils, and its elongation is proportional to the applied force, so that the spring can be calibrated to measure this force.
- **Electric force** (**Electrostatic force**): Force between two charged bodies. It is proportional to the product of charges, divided by the square of the distance that separates them;

$$F = K \underline{q_1 \underline{q_2}}{r^2}$$

Frictional force: Tangential force exerted by a surface on a body in contact which tend to prevent or retard motion.

Propulsion force: The force to drive onward.

Conservative force: A force is conservative if the work done by that force when moving an object from one point to another is independent of the path taken between those two points; e.g. gravitational force.

Non-conservative force: The force by which work done is <u>dependent</u> on the path followed.

Jumbo Jet: Massive airplanes capable of carrying hundreds of passengers. e.g. Concorde commercial jet, to fly faster than the speed of sound.

Fission (or Nuclear fission): The disintegration of an atomic nucleus into two or more large fragments.

Uranium: A hard heavy, white metallic element which possesses radioactive properties,

having three isotopes ${}_{92}U^{238}$, ${}_{92}U^{235}$, ${}_{92}U^{234}$.

Ton: Any of various relatively large measures of weight.

Long ton: The weight of 2,240 pounds used in Great Britain.

Short ton: The weight of 2000 pounds used in America.

Metric ton: The weight of 2,204.6 pounds (or 1000 kg).

Power (**P**): The time rate of doing work.

Instantaneous power: The ratio of work done to the time interval, which is extremely small. **Average power:** The uniform rate of doing work.

Watt : It is the power of an agency which does work at the rate of 1 joule per second. Horsepower (hp): The power is said to be a hp if 550 ft-lb of work is done per second. Energy: The ability or capacity for doing work.

Kinetic Energy: The energy possessed by a body due to its motion.

Potential energy: It is the energy possessed by a body due to its position.

Gravitational potential energy: The energy possessed by a body due to its position in the gravitational field.

Elastic potential energy: The amount of work done against the elastic force or in compressing an elastic spring.

Absolute potential energy: Energy required to move a mass from the earth up to an infinite distance.

Work-Energy Principle: Work done on the body equals change in its kinetic energy. Mathematically;

F.d = $\frac{1}{2}$ m v_f^2 - $\frac{1}{2}$ m v_i^2

Fossil: Any trace, impression or remains of a plant or animal preserved in earth, clay, or rock from a past age.

- **Fossil fuel:** Remains of a plant or animal preserved in earth and is used for producing heat or energy..
- **Escape velocity:** The initial velocity, which a projectile must have at the earth's surface in order to go out of earth's gravitational field.
- Law of conservation of energy: The total energy of a system cannot change unless energy is taken from or given to the outside. The law is equivalent to the first law of thermodynamics.

Methanol (Methyl alcohol) [CH₃OH]: A colourless liquid. It is made by catalytic oxidation of methane (from natural gas) using air.

Dam: A bank or wall built so as to hold water.

Tidal energy: Electricity obtained from the power plant that uses the 'head' of water created by the rise and fall of the ocean tides to spin the water turbines.

Solar energy: The energy produced by nuclear fusion and comprises almost entirely electromagnetic radiation.

Solar cell: A device which converts solar energy or artificial light into electrical energy.

Photo voltaic cell: An electronic device that uses the photovoltaic effect to produce an e.m.f. **Photovoltaic effect:** The production of an e.m.f. between two layers of different materials by incident electromagnetic radiation.

Electromotive force (e.m.f.): A measure of the energy supplied by a source of electric current. The unit of e.m.f. is the volt.

Satellite: A smaller body that revolves around a larger body.

Turbine: An engine in which a shaft is rotated by fluid impinging upon a system of blades or buckets mounted upon it.

Turbine generator: A generator which produces electric current with the help of turbines. **Hydroelectric plant:** An electricity-generating plant powered by water falling under gravity

through water turbine.

Electric generator:Machine that drives electric current when it itself is driven mechanically. **Hydal energy:** Electricity produced from water power by the arrangement of machinery.

Wind energy: Mechanical energy obtained from wind mills installed in windy regions to be used in tube wells or flour mills.

Wind mills: A plant consisting of shafts to produce mechanical energy, work by the action of the wind.

Biomass energy: Energy taken from plant material or vegetation as a source of fuel.

Combustion: The act of burning, or the state of being burned.

- **Fermentation:** A slow breaking down of organic substances (vegetable and animal origin) by yeasts and bacteria usually accompanied by evolution of heat and gas.
- **Organic material:** A material containing carbon combined with hydrogen, and often also with oxygen, and other elements.

Fertilizer: Any material put in or on the ground, which contains plant food.

- **Geothermal energy:** Energy generated by tapping the energy of the hot, molten areas inside the earth crust.
- Methane (CH₄): A colourless odourless gas. It is the simplest hydrocarbon, being the first member of the alkane series.
- **Nuclear energy:** The energy liberated by a nuclear reaction (fission or fusion) or by radioactive decay.
- **Radioactivity:** The spontaneous, uncontrollable decay of an atomic nucleus with the emission of particles and gamma rays.

Radioactive: Describing an element or nuclide that exhibits natural radioactivity.

- **Radioactive decay:** The spontaneous disintegration of unstable (radioactive) nuclei to give other a lighter more stable nuclei, accompanied by the emission of particles and/or photons.
- **Volcano:** An opening in the earth's surface, usually surrounded by a mass of ejected material forming a conical hill or mountain from which molten rock, fire, and steam are, or have been, exploded.
- **Volcanic region:** The area or region in which the mass of ejected material of volcano can have affect.

Spring: A natural fountain or supply of water rising to the surface of the earth.

Hot springs: Supply or explode or discharge suddenly hot water from a spring.

Geyser: 1) A natural spring that spouts a column of hot water and steam into the air at frequent and irregular intervals.

2) A hot spring which frequently throws forth jets of water, mud, etc.

Aquifer: A layer of rock holding water that allows water to pass through it with pressure.

Percolate: To pass, as a liquid, through very small spaces; as, water percolate through sand.

Magma (or lava): Semi-fluid material within the earth from which a volcanic rock results by cooling.

Catapult: A forked stick with an elastic band by which stones are thrown.

CIRCULAR MOTION (Chapter 5)

Linear motion: Motion in a straight line.

Rectilinear motion (or Translational motion): A body moves with translational

motion if each particle of the body undergoes the same

displacement in a straight line in a given time.

Rotational motion: A body moves with rotational motion if each particle of the body moves in a circle about a straight line called the axis of rotation.

Curvilinear motion: Motion along a curved path.

Circular motion (or Angular motion): Motion of a body along a curved path of constant radius.

Angular displacement: Angle subtended at the center of a circle by a particle moving along the circumference in a given time.

Instantaneous angular velocity: Angular velocity of a body in a particular instance.

Symbolically it is defined as

$$\omega = \lim_{\Delta t \to 0} \Delta t$$

Angular displacement: Change of position in circular path.

Radian: The angle subtended at the centre of a circle by an arc equal in length to its radius.

Arc: A part or section of a curved line, as an arc of a circle.

Chord: A string or straight line, as between two points of a curve.

Angular velocity (ω): The rate of change of angular displacement.

Average angular velocity: i) Average angular displacement per second.

ii) The total angle turned per unit time.

Symbolically

$$\omega_{\rm av} = \Delta \theta / \Delta t$$

Time period (or Period of motion): Time to complete one revolution.

Angular acceleration (α): The rate of change of angular velocity with time.

Centripetal acceleration: The instantaneous acceleration of an object traveling with

uniform speed in a circle is directed towards the center of the circle.

Roller coaster: A circular switchback railway with many steep inclines, over which small cars are run; common at amusement parks.

Tangential distance: Taking distance along the direction of its tangent.

Centripetal force: The force needed to bend the normally straight path of the particle into a circular path.

Tension: A force experienced by a certain body through the string.

Centrifugal force:The outward force acting on an object that is moving along a curve path. **Stunt:** A sensational or remarkable feat or undertaking.

Stunt man: In motion pictures, a man employed to perform dangerous actions, such as falling, jumping etc.

Moment of inertia: The rotational analogue of mass in angular motion.

Pivot: A fixed pin or short shaft on which some object, as a ball or wheel, turns; fulcrum; axis of rotation.

Rigid body: A body is said to be rigid, if it is not possible to change its shape by the application of a force, however large.

Tangential velocity: Velocity at a point along the direction of its tangent at that point. **Spin angular momentum:** It is the angular momentum of a spinning body.

Orbital angular momentum: It is the angular momentum associated with the motion of a body along a circular path.

24

Angular momentum: 1) A particle is said to posses an angular momentum about a reference axis if it so moves that its angular position changes relative to that reference axis.

- 2) The product of the moment of inertia of a body and its angular velocity.
- 3) The cross product of position vector and linear momentum.

Law of conservation of angular momentum: When the net external torque acting on a system about a given axis is zero, the total angular momentum vector of the system about that axis remain constant.

Gymnastics: Bodily exercises for developing the physical powers.

Skate: A metallic runner attached to a frame shaped to fit a shoe and used for gliding rapidly over ice.

Ice skating: To skate on the ice.

Clutch: Any of variously constructed and operated devices for coupling two working parts; the appliance suitable for seizing and holding.

Rotational kinetic energy: Energy due to rotation of a body; it is equal to the half of the product of moment of inertia and the square of the angular

velocity. Mathematically, $KE_{rot} = \frac{1}{2} I \omega^2$

Disc: A flat circular plate or anything resembling it.

Hoop: A circular band such like a ring; anything curved like a ring.

Satellite: A smaller body that revolves around a larger body.

Artificial satellite: An artificial body orbiting the earth. Many have been launched falling under two classes; i) Information satellites, ii) Communication satellites.

Information satellites: They are designed to provide information concerning the earth, other celestial objects, or space itself, and to relay it back by radio.

Communications satellites: They are designed to provide high-capacity communications links between widely separated locations on the earth's surface.

Critical velocity: The minimum velocity necessary to put a satellite into the orbit. **Global positioning system (GPS):** GPS is a satellite Navigation System. Four GPS satellite

signals are used to compute position, velocity and time. The

system was designed for and is operated by the U.S. military.

While there are many thousands of civil users of GPS world-wide.

Intelsat (ITSO): ITSO is the world's largest commercial satellite communication services provider. Currently it has over 100 members and provides service to over 600 Earth stations in more than 149 countries. Intelsat maintains it headquarters in Washington DC. Spacecraft operations are controlled through ground stations in Italy, USA, Germany and Australia. Launched new satellite IS-907 on 15 February 2003. it will provide enhanced (circular frequency) coverage from 5850 to 6425 MHz and (linear) high power from 14.00 to 14.50 GHz.

Orbital velocity: The tangential velocity to put a satellite in orbit around the Earth. **Artificial gravity:** The gravity like effect produced in orbiting space ship to overcome weightlessness.

Spaceship: A manned spacecraft, especially one making a journey between planets or stars. Space station: A place that lies beyond the Earth's atmosphere, in which the density of matter is very low, used as base for scientific experiments.

Geostationary orbit: A circular orbit around the earth that lies in the plane of the equator and has a period of the earth's rotation on its axis, i.e. nearly 24 hours.Geostationary satellite: The satellite whose orbital motion is synchronized with the rotation of the Earth.

26

Synchronization: Sameness in time of two or more events; happening at the same time rate; having the same rate of vibration.

Navigation: The act of traveling by water; steering or managing (a ship) in sailing. Communication satellites: They are designed to provide high-capacity communications links between widely separated locations on the earth's surface.

Intrinsic: Pertaining to the very nature of a thing.

Geodesics: The path with minimum length between two points in a mathematically defined space. In three dimensions it is a straight line. In four dimensions (Einstein's theory), it is the path of electromagnetic radiation, or of a particle that is subject to no non-gravitational force.

Eclipse: The 'hiding' of one heavenly body behind another. The eclipsed object, the eclipsing object, and the observer are in a straight line.

Solar eclipse: It occurs when the shadow of the moon passes over the surface of the earth. Space time curvature: Einstein's view of gravitation that space time is curved especially locally near massive bodies.

Analogy: Likeness between things somewhat different.

Dumb-bell: One of a pair of weights of wood or iron, used for muscular exercise.

Divergence: Moving apart or deviation from a standard.

Gramophone: An instrument for recording and reproducing sound.

FLUID DYNAMICS (Chapter 6)

- **Dynamics:** The branch of Mechanics which deals with the motion of bodies under the influence of one or more forces.
- **Fluid:** A substance that takes the shape of the vessel containing it; a collective term including liquids and gases.
- Fluid dynamics: The study of gases and liquids in motion.

Acetone (or propane) [CH₃ CO CH₃]: A colourless flammable volatile compound.

Methanol (Methyl alcohol) [CH₃OH]: A colourless liquid. It is made by catalytic

oxidation of methane (from natural gas) using air.

Benzene [$C_6 H_6$]: A colourless liquid hydrocarbon. It is now made from gasoline from petroleum. (formerly obtained from coal tar)

Ethanol (or Ethyl alcohol) [C₂ H₅ OH]: A colourless water soluble alcohol. It is the active principle in intoxicating drinks, in which it is produced by fermentation of sugar using yeast.

- **Glycerine (or glycerol) [HOCH₂CH(OH)]:** A tri-hydric alcohol. It is a colourless sweet-tasting viscous liquid, mixable with water.
- Law of conservation of mass (in fluids): The total inward mass flowing through a pipe is equal to the total mass of the fluid that flows outward during the same time interval.

Law of conservation of energy: The energy of the system upon which it does work increases by exactly the same amount so the total energy of the system does not change.

- **Tar:** A thick , brownish black, oily substance obtained by the distillation of wood, coal or peat.
- **Peat:** A substance valuable as a fuel, formed of partly decayed vegetable matter and found principally in swamps and marshy places.
- **Drag:** To pull by force or draw along slowly and heavily.

Drag force: A retarding force experienced by an object moving through a fluid.

Fluid friction: Resistive force experienced by a body when it moves through a fluid. **Laws of friction:**

- 1) The frictional force is independent of the area of contact (for the same force holding the surfaces together).
- 2) The frictional force is proportional to the force holding the surfaces together. In kinetic friction it is independent of the relative velocities of the surfaces.
- **Viscosity:** The property of fluids by which they resist their flow due to the internal friction.

Coefficient of viscosity: It is equal to the tangential force per unit area required to maintain a unit relative velocity between its two layers, unit distance apart.

Stokes' law: In fluid resistance; The drag force F of a sphere of radius r moving with a velocity *v* through a fluid of infinite extent is

$\mathbf{F}=\mathbf{6}\,\pi\,\eta\,r\,v,$

where η is the viscosity.

Terminal velocity: Maximum constant velocity of an object falling vertically downward. **Droplet:** To fall in a small spherical mass of free liquid.

Density: The ratio of the mass of a substance to its volume.

Laminar flow (or streamline flow): Smooth sliding of layers of fluid past each other.

Turbulent flow: Disorderly and changing flow pattern of fluids.

Incompressible: Which cannot be condense or press together. 28

Equation of continuity: The product of cross sectional area of the pipe and the fluid speed at any point along the pipe is a constant. This constant equals to the flow rate.

Bernoulli's equation: In the steady frictionless motion of a fluid acted on by external forces which posses a gravitational potential ρgh , then

 $P + \frac{1}{2}\rho v^2 + \rho gh = constant$

where P and ρ are the pressure and density of the fluid, v is the velocity of the fluid along a streamline.

Bernoulli effect: The relation between the pressure in a steadily flowing fluid, and its velocity.

"Where the speed is high, the pressure will be low".

Torricelli's theorem: The speed of efflux is equal to the velocity gained by the fluid in falling through the distance $(h_1 - h_2)$ under the action of gravity.

Speed: i) The distance covered in unit time.

ii) When a body moves, the rate of change of its position.

Pressure: At a point in a fluid, the force exerted per unit area on an infinitesimal plane situated at the point; P = F/a

Speed and pressure relation: Where the speed is high, the pressure will be low.

Aeroplane: An aircraft or flying machine, kept aloft by the reaction of motor-propelled planes upon the air.

Venturi relation: It is the following relation:

$P_1 - P_2 = \frac{1}{2} \rho v_2^2$

Venturi-meter: A device used to measure speed of liquid flow.

Blood pressure: It is the force of blood against the walls of arteries.

Artery (*pl*: Arteries): One of the tubes, which carry blood from the heart.

Vein: One of the tube-like vessels, which carry the blood to or toward the heart.

Torr: A unit of pressure equal to a pressure of 133.322 pascals. It is equal to the mm of Hg. **Pascal:** The SI unit of pressure, equal to a pressure of one Newton per square metre. **Systolic pressure:** It is force of blood in the arteries as the heart beats.

Diastolic pressure: It is the force of blood in the arteries as the heart relaxes between beats. **Sphygmomanometer:** An instrument used to measure blood pressure dynamically.

- Valve: A fold in the wall of a blood vessel, canal, or other organ, which allows the contents to flow through it in one direction only.
- **Stethoscope:** An instrument for examining the heart, lungs, or like organs of the body, by listening to the sounds which they make.
- **Globular protein:** Any of a group of proteins that are generally insoluble in water and present in blood, eggs, milk and as a reserve protein in seeds.
- **Protein:** Any of a large group of organic compounds found in all living organisms. Proteins compromise carbon, hydrogen, oxygen and nitrogen also sulphur.
- Aorta: Principal artery of the body that carries oxygenated blood to most other arteries in the body.
- **Gauge:** An instrument for measuring, indicating or regulating the capacity, quantity, dimensions, power, amount of anything.

Duct: A passage or tube by which a fluid is carried.

Nobel Laureate/ prize: A fund of \$ 9 million was set up. The interest of which is annually distributed among six important discoveries or inventions in Physics, Chemistry, Medicine, literature, Economics, and for peace among nations. It is according to the will of Alfred Bernhard Nobel (1833 – 1896).

OSCILLATIONS (Chapter 7)

Translatory motion (or Rectilinear motion): A body moves with translational

motion if each particle of the body undergoes the same

displacement in a straight line in a given time.

Rotatory motion: A body moves with rotational motion if each particle of the body

moves in a circle about a straight line called the axis of rotation.

Vibratory motion (or Oscillatory motion): 1) To and fro motion of a body about its mean position.

2) If the motion is back and forth over the same path about a mean position, it is called vibratory or oscillatory motion.

Periodic motion: A motion which repeats itself in equal intervals of time.Periodic: Pertaining to a definite round of time; occurring or reoccurring at definite intervals.Bob: A weight, e.g. a cork or small metallic mass, as on a pendulum.Clamp: Anything that fastens, e.g. a piece of metal used to bring two corks together.

Skyscraper: A very tall building.

Elasticity: The property of a material body to regain its original condition, on the removal of the deforming forces.

Stress: The distorting force per unit area set up inside the body.

Strain: The change produced in the dimensions of a body under a system of forces. **Hook's Law:** Within the limits of perfect elasticity stress is directly proportional to strain. **Hooke's law (modified form):** Applied force on a body is directly proportional to the

displacement.

As stress \propto strain or F/A $\propto l/L_o$ or F \propto (A/L_o) l or F $\propto l$ [A & L_o being constant]

or $\mathbf{F} \propto l$ [A & L_o being constant] or $\mathbf{F} \propto x$ or $\mathbf{F} = \mathbf{k} \mathbf{x}$

$$\mathbf{F} = \mathbf{F} \propto x$$
 or $\mathbf{F} = \mathbf{K} \mathbf{x}$

Simple Harmonic Motion: i) The projection of uniform circular motion upon any diameter of a circle.

ii) A particle is said to posses a simple harmonic motion if

its acceleration is always directed towards the centre and its value is proportional to the displacement of the particle from its central position.

Mean position: In to and fro motion, the central position around which a body moves. **Displacement:** Distance from the equilibrium position at certain instant.

Instantaneous displacement: In a vibrating body, the value of its distance from the mean position at any instant of time.

Amplitude: The maximum distance traveled by a vibrating particle from its mean position. **Vibration:** One complete round trip of the body.

Time period: It is the time required to complete one vibration.

Frequency: It is the number of vibrations executed by a body in one second.

Angular frequency: The number of complete rotations per unit time.

Sinusoidal waveform: Wave shape made like sine wave or like a curve plot of the function $y = \sin \theta$.

Circular motion: A form of periodic motion, that of an object moving at constant speed in a circle of constant radius.

Trigonometry: The study of triangles, and various relations of sides and angles of triangles. **Algebra:** That branch of mathematics which uses letters and other symbols instead of

actual numbers and quantities for calculations.

Arithmetic: The branch of mathematics in which we use figures for calculations. **30**

Trigonometric functions: Relations between the angle and sides of a right angled triangle, such as, $\sin\theta$, $\cos\theta$.

Sine θ : In right angled triangle, sine θ is equal to the opposite side divided by hypotenuse. Cosine θ : In right angled triangle, cosine θ is equal to the base divided by hypotenuse. Tangent θ : In right angled triangle, tangent θ is equal to opposite side divided by the base.

Instantaneous velocity: Velocity at a particular instant of time.

Acceleration: i) Rate of change of velocity.

- ii) Change of velocity in unit time.
- **Phase:** 1) The angle $\theta = \omega t$ which specifies the displacement as well as the direction of motion of the point executing SHM is known as phase.
 - 2) The state or condition as regards its position and direction of motion with respect to the mean position.
- **Pendulum:** A device consisting of a mass , suspended from a fixed point, that oscillates with a known period.
- **Simple pendulum:** It consists of a small mass oscillating to and fro at the end of a very light string.

Second's pendulum: A pendulum whose time period is two seconds.

- Elastic potential energy: The amount of work done against the elastic force or in compressing an elastic spring.
- **Free oscillations:** Oscillations of a body at its own frequency without the interference of an external force.

Forced oscillations: The oscillations of a body subjected to an external force.

Oscillator: Any system, which is capable of oscillating about a stable equilibrium position. **Harmonic oscillator:** 1) A physical system under going forced vibrations.

2) A signal oscillator that produces a large number of odd and even harmonics of the fundamental frequency of the input.

Simple Harmonic oscillator(or linear oscillator): It is one in which the restoring force is directly proportional to the displacement with respect to its stable equilibrium position.

Damped harmonic oscillator: An oscillator which moves in a resistive medium.

Magnetron: A type of electron tube used for producing microwaves.

Metal mesh: One of the open spaces between the metal wires of a net.

Elongation: Stretching out to become longer.

- **Resonance:** A specific response of a vibrating system to a periodic force acting with the natural period of the system.
- **Mechanical resonance:** In a mechanical vibrating system, the enhanced response to a driving force as the frequency of this force is increased through a resonant frequency.
- Natural frequency: The frequency at which an object or system will vibrate freely.
- Natural period: The time period of a body or system for free oscillation.
- **Electrical resonance:** The condition arising when a maximum of current or voltage occurs as the frequency of the electrical source is varied; such as, tuning a radio.
- **Microwave:** An electromagnetic wave with a wavelength in the range 1 mm to 100 mm, i.e. with a frequency in the range 300 to 3GHz.

Oven: A chamber used for baking, heating, or drying.

Microwave oven: An oven in which food is cooked by the heat produced as a result of microwave penetration of the food.

Tacoma Narrow bridge: In November 7, 1940 the first Tacoma Narrows suspension bridge collapsed due to wind-induced vibrations, situated on the Tacoma Narrows in Puget Sound, near the city of Tacoma, Washington, USA. The bridge had only been open for traffic a few months.

Damping: A process whereby energy is dissipated from the oscillatory system.Damped oscillations: Decreasing in amplitude with time due to the resistance of the medium to the oscillations or vibrations.

Driven Harmonic oscillator: A physical system under going forced vibrations.

Condition for resonance: Resonance occurs when the frequency of the applied force is equal to one of the natural frequencies of vibration of the forced or driven harmonic oscillator.

Dissipation: The removal of energy from a system to overcome some form of resistive force (mechanical or electrical). Without resistance (as in motion in vacuum) there can be no dissipation.

Shock absorber: Any of several devices for absorbing the energy of sudden impulses or shocks in machinery or structure.

Pith ball: A bob or small suspending ball made of some soft, spongy substance.

WAVES (Chapter 8)

Mechanical waves: The waves which require a medium for their movement.

Electromagnetic waves: Transverse waves in spaces having an electric component and a magnetic component.

Matter waves: These waves carry energy and pilot the particle and move along with it. **Wave:** A disturbance in the medium.

Water waves: The waves produced in the water.

Ripples: Tiny waves on the surface of water; any slight curling wave.

Ripple tank: An apparatus which consists of a rectangular tray containing water, fitted with glass bottom.

Shock waves: Waves of compression and rarefaction that originate in the neighbourhood of sharp points or roughness on obstacles exposed to the flow of a compressible fluid at high speeds.

Ultrasonic frequency: A sound frequency above the range normally audible by humans, i.e. greater than about 20 KHz.

Ultrasonics: Study and application of mechanical vibrations with frequencies beyond limits of hearing of the human ear, i.e. with frequencies about 20 KHz and upwards. Ultrasonic waves: Sound waves having frequency greater than 20 KHz.

Radar: (Radio Direction And Ranging) A system for locating distant objects by means of reflected radio waves, usually of microwave frequency.

Radar speed trap: An instrument used to detect the speed of moving object on the basis of Doppler shift.

Oscillation: A vibration; a periodic variation of an electrical quantity, as current or voltage. **Space:** That which has length, breadth, and height, and is unlimited in extension.

Guitar: A six stringed instrument played with the fingers.

Music: The art or science of making pleasing or harmonious combinations of sound tones.

Aeroplane: An aircraft or flying machine, kept aloft by the reaction of motor-propelled planes upon the air.

Electric field: Region in which an electric force acts on a charge brought into that region. **Magnetic field:** The region or space near a magnet where the effects of magnetism such

as the deflection of a compass needle can be detected.

String: A small cord; thick thread.

Spring: An elastic object or device usually of metal of spiral shape, that yields under a distorting force and returns to its original form when the force is removed.

Magnifying glass (or Simple microscope): An ordinary convex lens held close to the eye. **Pebble:** A small roundish stone, worn smooth, as by water.

Progressive wave: The wave, which transfers energy away from the source.

Traveling waves: Waves produced by a driving force, and they travel away from the source which produces them.

Longitudinal wave: The wave in which the particles of the medium vibrate parallel to the propagation of the wave.

Hump: To make such shape like the back of a camel; bend or curve as the back

Energy: The ability or capacity for doing work.

Momentum: In a moving body, the product of its mass and velocity.

Wave: A disturbance in the medium.

Pulse: Single unrepeated disturbance.

Jerk: To give a sudden quick pull, twist or push to.

Slinky spring: A loose spring which has small initial length but relatively large extended length.

Sag: T sink or hang down by weight, or under pressure; as the rope sags.

Transverse waves: The waves in which particles of the medium are displaced in a direction perpendicular to the direction of propagation of waves.

Longitudinal waves: The waves in which the particles of the medium have displacements along the direction of propagation of waves.

Periodic motion: Any kind of regularly repeated motion, such as the swinging of a

pendulum, the orbiting of a satellite, the vibration of a source of sound, or an electromagnetic wave.

Periodic waves: Any kind of regularly repeated waves.

Snap: To produce a sharp sudden sound; to throw or seize with a jerk.

Snapshot: An instantaneous photograph.

Rhythm (rhythmic *adv*.): The regular recurrence (i.e. coming back at intervals) as in music, stress, speech, or quantity; movement marked by a regular measured recurrence of sound.

Vibrator: A device for producing an alternating current by periodically interrupting or

reversing the current obtained from a direct-current source.

Crest: A region of upward displacement in a transverse wave.

Trough: A region of downward displacement in a transverse wave.

Harmonic motion: A regularly repeated sequence that can be expressed as the sum of a set of sine waves. Each component sine wave represents a possible simple harmonic motion.

Amplitude: The maximum distance traveled by a vibrating particle from its mean position. **Wavelength:** The distance between two consecutive wave fronts.

Snapshot: An instantaneous photograph.

Profile: Drawing an outline of a curved or sweeping figure.

Sine curve: The curve made by plotting the function of $y = \sin \theta$.

Transverse periodic waves: The transverse waves which pass one after the other through any point in the medium periodically.

Longitudinal periodic waves: The longitudinal waves in which the particles of the medium vibrate with simple harmonic motion.

Compression: The region of a longitudinal wave in which the vibrating particles are closer than their equilibrium distance.

Rarefaction: The region of a longitudinal wave in which the vibrating particles are farther apart than their equilibrium distance.

Compressional waves (or longitudinal waves): 1) Waves in which the particles of the medium vibrate to and fro along the path which the waves travel through the medium.

- 2) The waves in which the vibrations are parallel to the direction of travel of the wave.
- **Sound:** The series of disturbances in matter to which the human ear is sensitive. Also similar disturbances in matter above and below the normal range of human hearing.
- **Inertia:** 1) It is a property by virtue of which it is necessary to exert a force on a body at rest if it is to be set into motion.
 - 2) The resistance of matter to any acceleration of its state of rest or motion.

Elastic modulus: The ratio of stress on a body to the strain produced.

Elasticity: The property of a material body to regain its original condition, on the removal of the deforming forces.

Bulk modulus: Elasticity of volume, corresponding to volume strain.

Young's modulus: Linear elasticity, or elasticity of length.

Rigidity modulus: Elasticity of shape.

Density: The ratio of the mass of a substance to its volume.

- **Boyle's law:** The volume of a given mass of a gas in inversely proportional to the pressure, if the temperature is kept constant.
- **S.T.P.**: (Standard temperature and pressure) The standard temperature is 0 °C (273 K) and the standard pressure is 1 atm or 760 mm of Hg or 760 torr or 101325 Nm⁻².

Newton's formula for the velocity of sound: Velocity of sound is directly proportional to the square root of the elasticity and inversely proportional

to the square root of the density of the medium.

Mathematically, $V = \sqrt{E / \rho}$

Laplace's correction: In calculations of the velocity of sound, to use coefficient of adiabatic elasticity and not to use isothermal elasticity.

Molar specific heat at constant volume, C_V : The amount of heat energy required to raise the temperature of one mole of a gas through 1° K at constant volume.

Molar specific heat at constant pressure, C_P: The amount of heat energy required to raise the temperature of one mole of a gas through 1° K at constant pressure.

The ratio (γ): It is the ratio of adiabatic elasticity to isothermal elasticity; it is the ratio of C_p to C_V . or $\gamma = C_p / C_V$

Binomial theorem: It mathematical form is, $(1 \pm x)^n = 1 \pm \underline{nx} + \underline{n(n-1)x^2} + \dots (x < 1)$

Mono-atomic: Describing a molecule that consists of a single atom. The rarer gases are mono-atomic.

Diatomic: Describing a molecule that consists of two atoms; e.g. H_2 , O_2 & N_2 .

Polyatomic: Describing a molecule that consists of several atoms (three or more) e.g. Benzene $C_6 H_6$.

Bat: Any of an order of insect-eating animals, with soft, furry body, and wings formed by skin stretched between the fingers, legs, and tail, which fly by night.

Coefficient of volume expansion (β): The change in unit volume of a substance when its temperature is changed one degree.

Absolute temperature: Temperature measured with respect to absolute zero, i.e. zero of Kelvin scale, a scale which cannot take negative value.

Absolute zero: The least possible temperature for all substances. At this temperature the molecules of any substance possess no heat energy. A figure of –273.15 C is generally accepted as the value of absolute zero.

Supersonic: Pertaining to speed in air with a speed exceeding the speed of sound in air.

Ultrasonic: Sounds of frequency higher than 20,000 hertz which are not audible to human ear.

Infrasonic: Vibrations in matter below 20 cycles per second.

Auditory sensation area: The region of intensity and frequency bounded by the lower and upper curves of frequency verses intensity level for sound waves.

Threshold of hearing: The intensity of the average faintest audible sound; 10^{-12} watt /m² **Threshold of pain:** The upper intensity level for audible sounds.

Supersonic plane: A plane moving in air with a speed exceeding the speed of sound in air. At this speed shock waves are produced.

Sonic barrier (or sound barrier): The sudden sharp increase in aerodynamic drag experienced by aircraft approaching the speed of sound.

Sonic boom : 1) An explosive sound caused by the shock wave preceding an aircraft traveling at or above the speed of sound.

2) The noise originating from the backward projected shock waves set up by an aircraft travelling at greater than the speed of sound. A stationary source of sound emits a series of concentric wave fronts, the radius of which will increase with time.

Shock waves: 1) A large amplitude compression waves, as that produced by an explosion or by supersonic motion of a body in a medium.

2) When an airplane moves relatively slow, air pressure disturbances move faster than the airplane and are able to disperse. However, when an airplane moves faster than the speed of sound, air pressure disturbances are unable to disperse; instead, they amass in front of the airplane. A cone shaped shockwave forms, audible to those on the ground as a sonic boom.

Mach number (Ma): The ratio of the speed of a high-speed aircraft to the speed of sound in

air; Ma = v / c

An airplane traveling at less than Mach 1 is traveling at **subsonic** speeds; at

about Mach 1, transonic, or approximately the speed of sound; and greater

than Mach 1, **<u>supersonic</u>** speeds; in excess of 5 it is said to be **<u>hypersonic</u>**.

An aircraft flying at Mach 2, for example, is traveling at twice the speed of sound. **Cone:** A solid body, which tapers uniformly to a point from a circular base.

Conical surface: The surface made like the outer surface of a cone.

- **Boeing Company:** The world's largest manufacturer of commercial airplanes and military aircraft. Boeing controls almost two-thirds of the global market for jet airliners. Its headquarters is in Seattle, Washington.
- **Boeing 747 (called Jumbo Jet):** A cargo transport flight with 490 passengers capacity. Four jet engines propel the plane, which reaches cruising speeds of 885 km/hr.
- **Concord plane:** Concord is the only operating commercial supersonic jet airliners. Its speed is 1400 mile/hr with 128-passenger capacity. Both Air France and British Airways operate it.
- **Falcon:** Fighter-bombers aircraft. They are dual purpose aircraft that can drop bombs and also fight enemy planes. e.g. F-16 fighting Falcon.

F-16 (Fighting Falcon): The F-16 is world's most successful warplane of recent times, over 4000 Falcons have been build. Its speed is 2124 km/hr at 12190 m altitude with range 3890 km. Pakistan have 40 F-16 of A/B model.

Types of planes: a) Land planes: Aircraft that take off from and land on the ground.

- b) **Seaplanes**: Aircraft that take off from and land on water.
- c) <u>Amphibians</u>: Aircraft that can operate on both land and sea.
- d) <u>Airplanes:</u> They can leave the ground using the jet thrust of their engines or rotating wings and then switch to wing borne flight.
- **Superposition:** Combining the displacements of two or more wave motions algebraically to produce a resultant wave motion.
- **Principle of superposition of waves:** 1) When two (or more) waves of the same type pass through the same region, the amplitude of vibration at any point is the algebraic sum of the individual amplitudes.
 - 2) When two waves act upon a body simultaneously they pass each other without disturbing each other, and act upon the particles of the medium quite independent of each other, and their resultant displacement is the resultant of all individual waves.

Beats: 1) The condition whereby two sound waves form an outburst of sound followed by an interval of comparative silence.
2) The periodic alternations of sound between maximum and minimum.
Stationary waves (or standing waves): 1) Waves apparently standing still resulting from the similar wave trains travelling in opposite directions.

2) Resultant of two wave trains of the same wavelength, frequency, and

amplitude travelling in opposite directions through the same medium.

Interference: The phenomenon in which the two waves support each other at some points and cancel at others.

Phase coherence: Producing of two waves of same wavelength and time period at the same instant.

Constructive interference: 1) Whenever path difference is an integral multiple of

wavelength displacements, the two waves are added up. This effect is called constructive interference.

2) The interference of two waves, so that they reinforce one another.

Destructive interference: 1) At points where the displacements of two waves cancel each other's effect, the path difference is an odd integral multiple of half the wavelength. This effect is called destructive interference.

2) When two waves overlap each other in opposite phases.

Audio generator: A device to generate electric charges (electrons) to move to and fro repeatedly (A.C. signals) with frequency range of 20 Hz to 20,000 Hz.

Amplifier: A device for reproducing an electrical input at an increased intensity.

Power amplifier: An amplifier producing an appreciable current flow into a relatively low impedance (i.e. the ratio of voltage to current) or a large increase in output power.

Microphone: A device for converting sound energy into electrical energy.

Cathode ray oscilloscope (CRO) : A device used to display input signal into waveform.

Tuning fork: A metal two-prong fork which produces a sound of a definite pitch.

Sonometer: A device consisting of two or more wires or strings stretched over a sounding board, used for testing the frequency of strings and for showing how they vibrate.

Sound waves: Longitudinal wave motion through a material medium produced in matter having frequency range from 20 to 20,000 hertz.

Laws of transverse vibrations: from the equation

$$v_1 = \frac{1}{2l} \frac{T}{\sqrt{m/l}}$$

Law of length: The frequency of transverse vibration of a stretched string is inversely proportional to its vibrating length under constant stretching force. Mathematically;

 $\nu \, \propto \, 1 \, / \,$, $\,$ T & m are constants

Law of tension: The frequency of transverse vibration of a stretched string is directly proportional to the square root of its tension for given length.

Mathematically; $\nu \propto \sqrt{T}$, 1 & m are constants Law of mass: The frequency of transverse vibration of a stretched string is inversely proportional to the square root of its mass per unit length for as given length and constant tension. Mathematically;

 $v \propto \sqrt{l/m}$, *l* & T are constants

Plasticene: A soft plastic material used, especially by children for modeling.

Organ (or organ pipe): A musical instrument played by means of one or more

keyboards. It produces sound by means of a vibrating air column enclosed in one or more pipes.

- **Sitar:** Indian instrument, with seven metal strings, a gourd body, and long neck with moveable frets.
- Violin: A four stringed musical instrument played with a bow.
- **Piano:** The largest musical stringed instrument. It is enclosed in a case and played from a keyboard.

Guitar: A six stringed instrument played with the fingers.

Reflection: The turning back of a wave from the boundary of a medium.

Stationary waves (or Standing waves): i) The resultant of two wave trains of the same wavelength, frequency, and amplitude travelling in opposite directions through the same medium.

ii) Waves apparently standing still resulting from two similar wave trains travelling in opposite directions.

Node: A point of no disturbance of a stationary wave.

Antinode: A point which oscillate with the maximum amplitude in stationary waves.

Harmonic series: A series having a sequence of numbers, each of which is obtained from

the preceding number of the sequence by adding the same number; such as, f, 2f, 3f, etc.

Peg: A small usually cylindrical pointed or tapered piece (as of wood) used to pin down or fasten things or to fit into or close holes.

Organ (or organ pipe): A musical instrument played by means of one or more keyboards. It produces sound by means of a vibrating air

column enclosed in one or more pipes.

Flute: A musical wind instrument furnished with finger holes and keys.

Odd: Not exactly divisible by two.

Even: Divisible by two without a remainder.

Stationary longitudinal wave: Stationary waves in which the particles of the medium vibrate parallel to the propagation of the wave.

Fundamental frequency (or Fundamental): The lowest frequency produced by a vibrating object.

Harmonics (or Overtones): The fundamental and the tones whose frequencies are whole number multiples of the fundamental.

Echo: The repetition of sound caused by the reflection of sound waves.

Echolocation: Such location where the echo is heard.

Dolphin: Any of various agile sea mammals, akin to the whales.

Doppler's effect: The change in the pitch of sound caused by the relative motion of either the source of sound or the listener.

Locomotive: Pertaining to motion or travel from one place to another; an engine or motor for drawing railway cars.

Relative velocity: The vector difference of the two velocities.

Doppler shift: Apparent change in frequency due to relative motion of source and observer.

Artery (*pl*: Arteries): One of the tubes, which carry blood from the heart.

Vein: One of the tube-like vessels, which carry the blood to or toward the heart.

Electromagnetic waves: Transverse waves in spaces having an electric component and a magnetic component.

Radar: (Radio Direction And Ranging) A system for locating distant objects by means of reflected radio waves, usually of microwave frequency.

- 38
- **Sonar:** (*SO*und *NA*vigational *R*anging) A technique for locating objects underwater by transmitting a pulse of ultrasonic sound and detecting the reflecting pulse.
- Satellite: A smaller body that revolves around a larger body.
- **Echo:** The repetition of a sound or of sounds already heard, caused by the throwing back of sound waves.
- Acoustics: Study of the production, properties and propagation of sound waves.

Acoustical: Pertaining to acoustics.

- Submarine: Something that functions or operates underwater; such as, a warship designed for under sea operation.
- Astronomy: The scientific study of the heavenly bodies, their motions, relative positions, and nature.
- Astronomer: One who is skilled in astronomy or who makes observations of heavenly bodies and their phenomena.

Astronaut: Somebody from a non-communist country who travels beyond the Earth.

Cosmonaut: Somebody from a communist country who travels beyond the Earth.

Star: Any celestial body visible as a point of light.

- **Nova:** A faint variable star that can undergo a considerable explosion during which the luminosity increases by up to 10^5 times.
- **Supernova:** Stars that suffer an explosion becoming some 10^8 times brighter than the Sun during the process.
- **Pulsars:** Stars that emit radio frequency electromagnetic radiation in brief pulses at extremely regular intervals.
- **Nebula:** A luminous, cloud-like formation seen among the stars. It may represent the initial form of a star cluster that may condense out of it or the final form of a supernova.

Crab Nebula: the name of a star of supernova type.

- **Black hole:** An astronomical body with so high a gravitational field that it causes gravitational self-closer, i.e. a region is formed from which neither particles nor photons can escape, although they can be captured permanently from the outside.
- **Planet:** Any one of the larger celestial bodies of the solar system, revolving round the sun in a nearly circular orbit and shining by reflected light; distinguished from the stars.

Galaxy (or Milky way): The star system to which the Sun and the Solar System belong.

Cosmos: The observed universe regarded as an orderly collection of galaxies, stars, planets, comets, etc.

Spectrum: i) The set colors obtained on the screen by dispersion.

ii) Array of colors arranged according to their wave length.

- Blue shift: The shift of received wavelength from a star into the shorter region.
- Red shift: The shift in the wavelength of light from a star towards longer wavelength region.
- **Microwave:** An electromagnetic wave with a wavelength in the range 1 mm to 100 mm, i.e. with a frequency in the range 300 to 3GHz.
- **Transmitter:** A device used in a telecommunication system to generate and propagate an electrical signal.
- **Explosion:** A sudden and violent outburst from a solid to a gaseous state with a loud report. **Tremor:** Quick vibration or shaking.
- **Prong:** Sharp pointed instrument or branch; such as one leg of a tuning fork.
- Absorption spectrum: A spectrum having dark lines because of the absorption of some wavelengths.

PHYSICAL OPTICS (Chapter 9)

Optics: Branch of Physics which deals with the study of the behaviour of light.

Physical optics: It treats the distinctive wave phenomena of light.

Light: The aspect of radiant energy of which an observer is visually aware.

Luminous: Objects that give off light of their own.

Interference: The phenomenon in which the two waves support each other at some points and cancel at others.

Vibration: One complete round trip of the body.

Concentric: Having a common center, as circles.

Wave front: 1) A surface on which all the points have the same phase of vibration.

2) Locus of all points having the same phase of vibration.

Phase: The state or condition as regards its position and direction of motion with respect to the mean position.

Ray: A single line of light coming from a luminous point.

Luminous: Objects that give off light of their own.

Beam: Several parallel rays of light considered collectively.

Spherical (circular) wave front: In homogeneous medium, from a point source,

concentric spheres (circles) of wave fronts with center at the source.

Plane wave front: A small portion of a spherical wave front which is very nearly plane.

Huygen's principle: Every point on a wave front can be considered as a source of

secondary spherical wave-lets, and the new position of the wave front after a time t can be found by drawing a plane tangential to the secondary wave-lets.

Tangent: A line, curve, or surface which touches another at a single point.

Diffraction: The bending or spreading of waves around the edge of an opening or obstacle.

Phase: The state or condition as regards its position and direction of motion with respect to the mean position.

Constructive interference: The interference of two waves, so that they reinforce one another.

Destructive interference: The interference of two waves, so that they cancel one another.

Phase coherence: Producing of two waves of same wavelength and time period at the same instant.

Monochromatic: Light consisting of only one colour.

Polychromatic: Light composed of several colours.

Coherent source: Having a source or sources, that are always in phase, i.e. peaks and troughs always come together.

Superposition: Combining the displacements of two or more wave motions algebraically to produce a resultant wave motion.

Fringe: One of various light or dark bands produced by the interference or diffraction of light.

Crest: A region of upward displacement in a transverse wave.

Trough: A region of downward displacement in a transverse wave.

Maxima: The bright fringes made in the interference of light.

Minima: The dark fringes made in the interference of light.

Slit: A narrow opening; to cut lengthwise or into long strips.

Integral multiple: Multiples having a whole number.

White light: Light such as daylight, containing all wavelengths of the visible spectrum at

normal intensities so that no coloration is apparent.

Thin film: A thin skin or layer.

Plano-convex lens: A convex lens whose one side is plane.

- **Refraction:** The bending of a wave disturbance at it passes obliquely from one medium into another of different density.
- **Periphery:** The circumference of a circle, ellipse, or similar figure; the outside surface of a rounded solid.

Microscope: An optical instrument for producing an enlarged image of small objects.

Simple microscope: The magnifying glass, or simple magnifier. The small object is viewed between the lens and its focal point.

- **Compound microscope:** A device used for producing large images of close small objects with a combination of lenses.
- **Concentric rings:** Rings having a common center.

Newton's rings: Circular interference fringes formed between a lens and a glass plate with which the lens is in contact.

- Michelson's interferometer: The device includes one half silvered mirror and two plane mirrors, using interference of light waves to measure very small distances.
- **Precision:** In measurements considering the magnitude of error. The less magnitude of error gives more precise measurement.
- **Schematic (schematically,** *adv*): Of or relating to a scheme; diagrammatic presentation; such as a figure, e.g., figure2.

Telescope: A device for collecting and producing an image of distant objects.

Cadmium: $(_{48}Cd^{112})$ A soft bluish metal, used in low-melting point alloys to make solders in some batteries.

Rim: A border, edge, or margin of an object, especially when bound or raised.

- **Diffraction:** 1) The property of bending of light around obstacles and spreading of light waves into the geometrical shadow of an obstacle.
 - 2) The bending or spreading of waves around the edge of an opening or obstacle.
- **Diffraction grating:** An optical surface, either transmitting or reflecting with several thousand equally spaced and parallel lines ruled on it.

Grating element: Distance of the width of slit and the separation between two consecutive slits, which is equal to length of grating divided by number of ruled lines.

X-rays: Electromagnetic radiation of extremely short wave length, having great penetrating power.

Crystal: A (usually transparent) body formed by a substance solidifying so that it has flat surfaces in regular, even arrangement.

Electromagnetic radiation: Energy propagated by vibrating electric and magnetic fields.

Electromagnetic radiation forms a whole electromagnetic spectrum,

depending upon frequency and ranging from high frequency cosmic rays to low frequency microwaves.

Array: An orderly collection or series of things imposingly displayed.

Bragg equation: The equation setting out the condition for the diffraction of a parallel beam of monochromatic x-rays from a crystal;

 $n \ \lambda = 2 \ d \sin \theta$

- **Biology:** The science, which deals with the origin and life history of plants and animals including botany and zoology.
- **Biological:** Pertaining to the science, which deals with the origin and life history of plants and animals including botany and zoology.
- **Hemoglobin:** Hemoglobin is a protein that is carried by red cells. It picks up oxygen in the lungs and delivers it to the peripheral tissues to maintain the life of cells.

Helix: Anything in the shape of the thread of a screw, or of a coiled spring.

Analyzer: A device for determining the plane of polarization of plane-polarized radiation

- **DNA:** (Deoxyribonucleic acid) The genetic material of most living organisms, which is a major constituent of the chromosomes within the cell nucleus and plays a central role in the determination of hereditary characteristics by controlling protein synthesis in cells.
- Transverse mechanical waves (or Transverse waves): The waves in which particles of the medium are displaced in a direction perpendicular to the direction of propagation of waves.

Electric field: The region in which an electric force acts on a charge brought into the region.

- Electric field vector: The vector area in which an electric force acts on a charge brought into the region.
- Magnetic field: The region or space near a magnet where the effects of magnetism such as the deflection of compass needle can be detected.
- Magnetic field vector: The vector area near a magnet where the effects of magnetism such as the deflection of compass needle can be detected.
- Polarization (of light): The limiting of the vibrations of light, usually to vibrations in one plane.
- Plane polarized light: A beam of light in which all the vibrations are in one direction. Polarizer: Crystal which stop light vibrations in all but one direction.
- **Polaroid filter:** A light filter which polarizes the light passing through it.
- **Optical activity:** The property of rotating the plane of polarization of light.
- **Incandescent:** Glowing with heat; white-hot.
- Absorption: In radiation. Reduction in the intensity of electromagnetic radiation, or other ionizing radiation, on passage through a medium.
- **Reflection:** The turning back of a wave from the boundary of a medium.
- Scattering: The spreading out of a beam of radiation as it passes through matter, reducing the energy moving in the original direction.
- Dichroism: The property of some crystals, such as tourmaline, of selectively absorbing light vibrations in one plane while allowing light vibrations at right angles to this plane to pass through.
- Dichroic substances: The property of some substances (or crystals), such as tourmaline, of selectively absorbing light vibrations in one plane while allowing light vibrations at right angles to this plane to pass through.
- Polaroid: A doubly refracting material that plane-polarizes unpolarized light passed through it.
- Crystal: A (usually transparent) body formed by a substance solidifying so that it has flat surfaces in regular, even arrangement.
- Amorphous: Describing a solid that is not crystalline; i.e. one that has no long-range order in its lattice.
- Quartz: (SiO₂) The most abundant and common mineral, consisting of crystalline silica, crystallizing in the trigonal system.
- Sodium chlorate: (NaClO₃) A white crystalline solid. It decomposes above its melting point to give oxygen and sodium chloride.
- Optically active crystal: The property possessed by some crystals of rotating the plane of vibration of polarized light passing through it.

Organic chemistry: The branch of chemistry concerned with compounds of carbon.

- Organic substance: A substance containing carbon compounds; vegetable and animal origin substances.
- Sugar: Any of a group of water-soluble carbohydrates of relatively low molecular weight and typically having a sweet taste.

Tartaric acid: [(CHOH)₂ (COOH)₂] A crystalline naturally occurring carboxylic acid.

OPTICAL INSTRUMENTS (Chapter 10)

Optical instrument: The device based on the principles of reflection and refraction.
Lens: A portion of a transparent medium such as glass bounded by two faces, one of
which is at least curved.
Convex lens (or Converging lens): A lens which converges parallel light rays. It is
thicker in the middle than it is at the edge.
Concave lens (or Diverging lens): A lens with concave surfaces which diverges
parallel light rays.
Reflection: The turning back of a wave from the boundary of a medium.
Refraction: The bending of a wave disturbance at it passes obliquely from one medium
into another of different density.
Principal axis: Line through center of curvature and center of a lens or mirror.
Aperture: The angular portion of a sphere included by the mirror or lens.
Focus: A point at which light rays meet or from which rays of light diverge.
Principal focus: A point to which rays parallel to the principal axis converge, or from
which they diverge, after reflection or refraction.
Focal length: Distance from an optical device to the point where it focuses parallel rays.
Refractive index: A measure of the extent to which a ray of light is bent as it passes
from one transparent medium to another.
Optical center: A fixed point of a lens lying inside or outside on its axis such that a ray
of light passing through it suffers no deviation.
Image: The reproduction of an object formed by lenses or mirrors.
Real image: An image which is formed by actual rays of light.
Imaginary (or Virtual) image: Image formed by rays not actually passing through the
position the image appears to occupy.
Least distance of distinct vision: The distance equal to 25 centimeter for a normal
person to see clearly an object.
Fuzzy: Not clear; indistinct; moving the camera causes.
Iris: The circular coloured membrane of the eye.
Retina: The inner, sensitive coating of the eye containing the ends of the nerves of sight;
that part of the eye which receives images of object.
Pupil: The opening in the iris of the eye, through which rays of light pass to the retina.
Magnification: The ratio of the angle subtended by the image as seen through the optical
device to that subtended by the object at the unaided eye.
Linear (or Transverse) magnification: The ratio of the linear dimensions of the image
to those of the object.
Magnifying power (or Angular magnification): The ratio of the angle subtended by the
image of an object seen through a telescope and the angle subtended
by the same object seen without the telescope.
Resolving power: The ability of an instrument to reveal the minor details of the object under
examination.
Spectrometer: Optical instrument used for the study of spectra. It consists of collimator,
turntable and telescope.
Grating spectrometer: A spectrometer attached with diffraction grating.
Magnifying glass (or Simple microscope): An ordinary convex lens held close to the eve.
Chromatic aberration: The non-focussing of light of different colours.
Spherical aberration: The failure of parallel rays to meet at a single point after reflection or
refraction.

Compound microscope: It is used to produce a very large magnification of very small
objects. It consists of an objective and an eyepiece.
Telescope: A device for collecting and producing an image of distant objects.
Astronomical telescope: A telescope used to see heavenly bodies; it consists of two
Objective: That part of a telescope or binoculars that faces the objects; it has large focal
length and large aperture.
Eye piece: A convex lens of short focal length and small aperture.
Unaided eye: Looking with naked eye without using optical device; such as, telescope or microscope.
Planet: Any one of the larger celestial bodies of the solar system, revolving round the sun in a nearly circular orbit and shining by reflected light; distinguished from the stars.
Star: Any celestial body visible as a point of light. Reflecting telescope: A device used to see distant objects in which concave mirror is used

Reflecting telescope: A device used to see distant objects in which concave mirror is used as an objective.

- **Light year:** A unit of distance. It is the distance that light travels through space in one year; equal to 9.46×10^{15} meters.
- **Spectrum:** A band of seven colours formed by the dispersion of the components of white light, when it is passed through a prism.
- **Spectrometer:** Optical instrument used for the study of spectra. It consists of collimator, turntable and telescope.
- **Collimator:** The part of the spectrometer consisting of slit and a convex lens, which is called collimating lens.
- **Turn-table:** The part of the spectrometer between collimator and telescope. This turntable is provided with three leveling screws. It is used for supporting the prism or the diffraction grating.
- **Grating (or diffraction grating):** An optical surface, either transmitting or reflecting with several thousand equally spaced and parallel lines ruled on it.
- Speed of light in vacuum: Speed of electromagnetic radiation; a fundamental constant is defined as,

 $c = 2.99792458 \text{ x } 10^8 \text{ m s}^{-1}$

it is recommended since 1975 for universal use. The speed decreases when the radiation enters a material medium.

Photo phone: An instrument for talking along a beam of light instead of telegraph wire; telephoning without wires by varying the intensity of a beam of light by the action of voice, and allowing the light to fall upon a piece of crystalline selenium.

Modulation: 1) Variation of radio frequency waves by means of audio frequency waves.

- 2) Variation of the amplitude, frequency or phase of electromagnetic waves, especially for carrier waves.
- **Radio:** The process of communication across space by the transmission and reception of an electromagnetic wave of radio frequency without the use of connecting wires or other material link.
- **Radio frequencies:** Frequencies of radio waves above audio frequency; between 3 KHz and 300 GHz (wavelength 1 cm to 100 km).

Audio frequencies: Frequencies to which the ear is sensitive; about 20 Hz to 20 kHz.

Technology: The practice of any or all of the applied sciences that have practical value and/or industrial use.

Bandwidth: 1) The difference between the upper and lower frequency limits of a band, normally measured in hertz.

2) The range of frequencies over which a particular characteristic of an electronic device or system lies within specified limits.

Illumination: A measure of the visible-radiation energy reaching a surface in unit time.

Fibre optics: The use of fine transparent fibres to transmit light. The light passes along the fibres by a series of internal reflections.

Fibre: Raw material, which can be separated into threads for making up textile or some, woven like system.

Internal reflection: Reflection within a medium.

Total internal reflection: 1) The reflection of light at the boundary of two transparent media when the angle of incidence exceeds the critical angle.

2) Reflection which occurs when the angle of incidence is greater than the critical angle.

Refractive index (Absolute index of refraction): The ratio of velocity of light in vacuum to its velocity in a given substance.

$n = c_1 / c_2$

Relative refractive index (relative index of refraction): The ratio of velocity of light in one medium to its velocity in another medium.

Critical angle: The angle of incidence for which the angle of refraction is 90° .

Axial: Of, relating to, or having the characteristics of an axis; situated around, in the direction of, on, or along an axis; extending in a direction essentially perpendicular to the plane of a cyclic structure.

Laws of reflection: The angle of incidence equals the angle of reflection, and the incident ray, the reflected ray and the normal to the reflecting surface at the point of incidence lie in the same plane.

Cross section: A cutting or piece of something cut off at right angles to an axis.

Propagation: Spreading or transmitting through a medium.

Hypothetical: Based on supposition, or on something assumed.

Optical fibre: An optical fibre consists of a single flexible rod of high refractive index, less than 1mm in diameter, having polished surfaces coated with transparent material of lower refractive index.

Multi layer fibre: The fibre having many layers.

Core: The central part of a wire.

Cladding: 1) A layer of lower refractive index (less intensity) over the central core of high refractive index (high density).

2) The process of bonding one metal to another to prevent corrosion of one of the metals.

Stepped-index fibre: Here the indexes of both cladding and core are constant throughout.

Graded index fibre: In it the refractive index of the core decreases radially outwards.

Light rays then spiral smoothly around the central axis rather than zig zagging.

Single mode fibre: Here the core is very narrow relative to the cladding and rays travel parallel to the central axis; it may be stepped or graded index.

- **Single (or mono) mode step index fibre:** It has a very thin core of about 5 μm diameter and has a relatively larger cladding of glass or plastic.

Multimode graded index fibre: 1) An optical fibre in which the central core has high

- refractive index which gradually decreases towards its periphery.
- 2) Its core ranges in diameter from 50 to 1000 μ m, which has relatively high refractive index and the refractive index decreases gradually from the middle to the outer surface of the fibre. There is no noticeable boundary between core and cladding.
- **LED:** (Light emitting diode) A semi-conductor diode, made from certain materials (e.g. gallium arsenide), in which light is emitted in response to the forward-bias current.
- **Ultraviolet light:** Light of shorter wavelength than visible light but longer than X-rays; frequencies from 8×10^{14} to 2×10^{16} Hz.
- **Infra-red light:** Light waves longer than waves of ordinary light but shorter than radiowaves; frequencies from $3x10^{11}$ to $4x10^{14}$ Hz.
- Audio signal: 1) Sound or information transmitted electrically at the normally audible frequencies of 20 to 20,000 cps or Hz.
 - 2) An alternating voltage proportional to the sound pressure produces in an electric circuit by a microphone.
- **Ear piece:** In a signal transmitter, the device nearest the ear which converts electrical signals into sound.
- Microphone: A device for converting sound energy into electrical energy.
- Modulation: 1) Variation of radio frequency waves by means of audio frequency waves.
 - 2) Variation of the amplitude, frequency or phase of electromagnetic waves, especially for carrier waves.
- **Digital modulation:** 1) A modulation by digital method. The laser is flashed on and off at extremely fast rate. The communication is represented by code of 1s and 0s. the receiver is programmed to decode 1s and 0s.
 - 2) Variation of the amplitude, frequency or phase of electromagnetic waves and sending signals in digital form of zero or one shape, especially for carrier waves.
- **Laser:** (*L*ight Amplification by Stimulated Emission of Radiation) a device which is able to produce a beam of radiation with unusual properties, generally the beam is coherent, monochromatic, parallel with high intensity.

Stimulate: To rouse and produce greater activity in.

Coherent: Having same phase, i.e. peaks and troughs always come together.

Phase coherence: Producing of two waves at the same instant, having same wavelength and time period.

Monochromatic: Light consisting of only one colour.

Intensity: The energy transmitted per second through a unit area by the light waves.

- **Repeater:** A device used to amplify or regenerate signals in order to extend the transmission between two stations.
- **Photodiode:** A semiconductor diode that produces a significant photo-current when illuminated.

Photo-current: Current produced due to photo electric effect.

- **Photo electric effect:** The emission of electrons by a substance when illuminated by electromagnetic radiation.
- **Dispersion:** i) The separation of polychromatic light into its component wavelengths. ii) Separation of white light into colours.

Biconvex lens: A type of convex lens whose both sides curved outwards.

46

HEAT AND THERMODYNAMICS (Chapter 11)

- **Heat:** 1) Heat is a form of energy associated with molecular motion. 2) Heat is energy that flows between a system and its environment by virtue of a temperature difference between them. **Temperature:** Degree of hotness as determined by a thermometer. Absolute zero: The temperature of -273.16 °C at which the volume of a gas theoretically becomes zero. It is taken as zero on the Kelvin scale of temperature. Thermodynamics: Study of quantitative relationships between heat and other forms of energy. Technology: The science of industrial arts and manufactures. Hypothesis: A theory, which may or may not prove to be true. **Postulate:** A statement which is taken for granted as a fact; to assume without proof. Law: A scientific statement of the action and relation of things in nature, observed to be always the same under given conditions with the same result performed anywhere in the world. Kinetic theory: A theory explaining physical properties in terms of the motion of particles. Kinetic theory of gases: The molecules or atoms of a gas are in continuous random motion and the pressure exerted on the walls of a containing vessel arises from the bombardment by these fast moving particles. Brownian motion: The continuous random motion of microscopic solid particles (of about 1 micrometer in diameter) when suspended in a fluid medium. Microscopic: Very small; invisible without a microscope. Macroscopic state: The state of matter characterized by the statistical properties of its components. Kinetic theory is an analysis of the macroscopic state. Microscopic state: The state of matter characterized by the actual properties of each individual elemental component. Quantum theory is typically an analysis of the microscopic state. **Pressure:** At a point in a fluid, the force exerted per unit area on an infinitesimal plane situated at the point .. **Density:** The ratio of the mass of a substance to its volume. Pascal's law: Pressure applied at any point of a fluid at rest is transmitted without loss to all other parts of the fluid. Temperature: Degree of hotness as determined by a thermometer. Boyle's law: The volume of a given mass of a gas is inversely proportional to the pressure, if the temperature is kept constant. Charles' law: The volume of a given mass of a gas is proportional to its absolute temperature provided the pressure of the gas is kept constant. General gas law: The product of pressure and volume of a given mass of a gas is proportional to its absolute temperature. Ideal gas: A gas, which obeys the gas laws at all temperatures and pressures. **Real gas:** A gas, which does not obey the gas laws at all temperatures and pressures. Mole: 1) The amount of that substance whose mass, expressed in grams, is numerically equal to the molecular weight of the substance. 2) A quantity which contains Avogadro's number of units i.e. atoms, molecules, ions or whatever under consideration. Avogadro's law: Equal volumes of all ideal gases at same temperature and pressure contain equal number of molecules.
- Avogadro's number (or Avogadro constant): The number of atoms or molecules in one mole of a substance. It has the value 6.02252×10^{23} .

Rotation: Turning around its own axis or centre.

Internal energy: Total heat energy retained by the system in the form of potential energy and kinetic energy.

Enthalpy (H): 1) The total heat content of a system is termed as enthalpy of a system.

2) The sum of the internal energy and the product of pressure and volume of a system; H = U + PV

Function of state: It is a macroscopic property of a system which has some definite value for each state and which is independent of path in which the state is reached; e.g. P,V,T & U.

Work: The product of magnitude of force and that of displacement in the direction of force. **Mechanical:** Pertaining to the laws of matter and motion; produced by machines.

Mechanical equivalent of heat (J): Amount of work obtainable by the complete conversion of unit quantity of heat into mechanical work.

Mechanical work: Work done with some mechanical device, e.g. work done in heat engine. **Mechanical energy:** The energy transmitted by a machine; energy in the form of mechanical

power; the kinetic plus potential energy, if there is no frictional loss.

Environment: Conditions around something, which influence the working of that thing. **Zeroth law of thermodynamics:** If systems A and B are each in thermal equilibrium with a third system C, then A and B are in thermal equilibrium with each other.

First law of thermodynamics: 1) In any thermodynamic process, when heat Q is added to a

system, this energy appears as an increase in the internal energy ΔU stored in system plus work W done by the system on its surroundings.

2) When heat is converted to another form of energy, or when other forms of energy are converted into heat, there is no loss of energy.

Thermocouple: 1) Two dissimilar metallic conductors joined at their ends.

2) Junction of two dissimilar metals, in which an emf is generated by reason of a temperature difference.

- **Piston:** A small solid cylinder of metal or wood, fitting exactly, and moving up and down in a cylinder or tube.
- **Cylinder:** A hollow vessel or chamber like empty space in a solid in which force is executed on the piston of a steam engine.

Monitor: A device that observes and records selected activities within a system for analysis.

Millivoltmeter: A meter used to measure electrical voltage whose range is measured in 10^{-3} volts.

Metabolism: 1) Energy transforming processes that occur within an organism. 2) The sum of the chemical reactions occur within living organisms.

- **Cell:** A tiny, usually microscopic, mass of protoplasm, one of the units of structure of living matter in both plants and animals.
- Protoplasm: The vital substance from which develops all forms of animal and plant life.

Organism: Anything that has life in itself; a body composed of parts performing special duties, but mutually dependent.

System: A collection of matter which has a distinct boundary.

Surroundings: The remaining portions around a system are called surroundings.

Closed system: A system for which there is no transfer of mass across the boundary.

Isolated system: A system for which there is no transfer of mass and energy across the boundary.

Isothermal process: The process in which the temperature of the system remains constant. **Isotherm:** The curve representing an isothermal process in P-V diagram is called isotherm. **Adiabatic process:** The process in which no heat flows into or out of the system. Adiabat: The curve representing an adiabatic process in P-V diagram is called adiabat. Isobaric process: The process in which the pressure of the system remains constant. Isochoric process: The process in which the volume of the system remains constant. Specific heat: The amount of heat energy required to raise the temperature of unit mass

through one degree.

- **Molar specific heat:** The amount of heat energy required to raise the temperature of one mole of a substance through 1 K.
- Molar specific heat at constant volume (C_v): The amount of heat energy required to raise the temperature of one mole of a gas through 1 K at constant volume.
- Molar specific heat at constant pressure (C_p) : The amount of heat energy required to raise the temperature of one mole of a gas through 1 K at constant pressure.
- Universal gas constant: The constant of proportionality R in the equation of state, pV = nRT, of an ideal gas. R has the value 8.2057 x 10⁻²¹ atm/mole K.
- **Reversible process:** If the process can be reversed in such a way that the system and its surroundings are both brought back to their original states, then the process is said to be reversible.
- **Irreversible process:** If a process can not be retraced in the backward direction by reversing the controlling factors, it is an irreversible process.
- **Liquification:** Changing into liquid.
- Evaporation: A change of state from solid or liquid to gas (or vapour).
- **Sublimation:** It is a process in which a solid, when heated, vapourizes directly without passing through the liquid place.
- **Engine:** A mechanical device that changes a physical force in one form such as heat, into another form more easily used.
- Heat engine: A device which transforms heat energy into mechanical energy.
- **Steam engine:** A heat engine in which water is boiled in a vessel covered with a piston, the steam inside tries to push the piston up showing the ability to do work.
- **Reservoir:** A place where anything, as water, is collected and stored up for use; e.g. large trees in a jungle.
- **Heat reservoir :** It is supposed to be so big that its temperature remains constant even if some heat enters or leaves the reservoir.
- Hot reservoir (or Source): A hot body, which can supply heat at a high temp. to a cold body.
- **Cold reservoir (or Sink):** A cold body, which can receive heat at a low temperature from a hot body.

Second law of thermodynamics: 1) According to Lord Kelvin's statement, "It is impossible to devise a process which may convert heat, extracted from a single reservoir, entirely into work without leaving any change in the working system".

- 2) According to Clausius statement, "It is not possible in a cyclical process for heat to flow from one body to another body at higher temperature, with no other change taking place".
- **Carnot engine:** An ideal heat engine, free from all the imperfections of actual engines, and hence never realized in practice.

Carnot cycle: A cycle in which reversible process occurs.

Third law of thermodynamics: It is impossible by any procedure, no matter how idealized, to reduce any system to the absolute zero of temperature in a finite number of operations.

Efficiency: The ratio of the useful work output of a machine to total work input.

Thermal equilibrium: 1) The condition of a system in which the net rate of exchange of heat between the components is zero.

- 2) If two bodies at different temperatures are placed together, heat transfer occurs until they have the same temperature. They are then at thermal equilibrium.
- **Mechanical equilibrium:** A state of a system in which the properties (e.g. p,V,T, etc) do not change with time.
- **Carnot Theorem:** No heat engine can be more efficient than a Carnot engine operating between the same two temperatures.
- **Extension of Carnot theorem:** All Carnot's engines operating between the same two temp. have the same efficiency, irrespective of the nature of the working substance.
- Isothermal expansion: The expansion in which the temp. of the system remains constant.
- **Triple point:** The only point at which the gas, solid, and liquid phases of a substance can coexist in equilibrium. The temperature of the triple point of water is defined to be 273.16 Kelvin.
- **Petrol engine:** An engine based on the principle of Carnot cycle. It undergoes 4 processes;
 - i) intake of petrol air mixture into the cylinder with a outward piston, ii) adiabatic compression of the mixture with the inward piston, iii) a spark fires the mixture causing its adiabatic expansion that forces the piston to move outward which delivers power to crank shaft to derive the flywheel, iv) the residual gases are expelled from the outlet valves and piston moves inward.
- Carburetor:1)A device used to charge air with gas from petrol for producing light or power.
 - 2) A device in an engine that mixes liquid fuel and air in the correct proportions, vaporizes them, and transfers the mixture to the cylinders.
- **Valve:** A mechanical device for opening and closing the movement of a gas or liquid; a fold which allows the movement in one direction only.
- **Spark plug:** An ignition device, the insulated conductor set in the wall or top of each cylinder. At the inner end of the spark plug is a small gap between two wires. The high voltage current arcs across this gap, yielding the spark that ignites the fuel mixture in the cylinder.
- **Flywheel:** A large heavy wheel, with large moment of inertia, used in mechanical devices. **Piston:** A solid cylinder of metal or wood, fitting exactly and moving up and down in a tube. **Crank:** Of a boat, easily upset; opposite of stiff.
- **Shaft:** Anything shaped like an arrow, as the stalk of a plant or broken handle of cricket bat. **Crankshaft:** A shaft driven by a crank.
- **Petroleum:** Naturally occurring green to black coloured mixtures of crude hydrocarbon oils, found as earth seepages or obtained by boring.
- **Gas oil:** A petroleum distillation fraction intermediate between kerosene and light lubricating oil. Slightly more viscous grades are used as diesel fuels.
- **Diesel (or diesel fuel):** Fuel used for diesel (compression ignition) engines. The composition varies but is near that of gas oil.
- **Petrol (or gasoline):** A light hydrocarbon liquid fuel for spark-ignition engines; a complex mixture consisting mainly of hydrocarbons such as hexane, heptane and octane.
- Diesel engine: Its like a petrol engine but without sparkplug. It undergoes four processes;
 - i) the diesel is sprayed into the cylinder with a outward piston, ii) adiabatic compression of the mixture with the inward piston, iii) fuel mixture ignites on contact with air due to high temperature causing its adiabatic expansion that forces the piston to move outward which delivers power to crank shaft to derive the flywheel, iv) the residual gases are expelled from the outlet valves and piston moves inward.

Entropy: The physical quantity, which describes the ability of a system to do work; describes disorder of a system. Mathematically,

$\Delta S = \Delta Q / T$

Electric motor: The machine which converts electrical energy into mechanical energy. Battery: A number of similar unts, such as electric cells, working togethe. Power plant (or generating station): A complete assemblage of plant, equipment, and the necessary buildings at a place where electric power is generated on a large scale. Nuclear power plant: A power plant using a nuclear reactor as the source of energy. Nuclear reactor: A device in which nuclear reactions take place on a large scale. Solid state laser: A laser consisting chiefly of semi-conducting materials or compounds. Internal combustion engine: An engine in which the fuel is burned within the engine cylinders. External combustion engine: An engine in which the fuel is burned outside the engine cylinders, in a separate boiler. Fluorescent lamp: A lamp in which light is generated by an electrical discharge through a low pressure gas, causing it to emit radiation. Incandescent lamp: An electric lamp in which light is produced by the heating effect of a filament. Incandescence: The radiation of visible light by a surface at high temperature. Fluorescence: The absorption of energy by atoms, molecules, etc. followed by immediate emission of electromagnetic radiation as the particles make transitions to lower energy states. Environmental crisis: Global scale problems created by man in the physical environment and by use of physical resources. It concerns with temperature, humidity, atmosphere and contamination. Thermal pollution: The discharge of heated gases into the surrounding air, causing a rise in air temperature that sometimes affects local weather conditions. **Metabolism:** 1) Energy transforming processes that occur within an organism. 2) The sum of the chemical reactions occur within living organisms. Futile: Useless; of no importance; worthless. Ecology: The study of the relation of plants and animals to their environment and each other. Ecological balance: The balance between the relation of plants and animals to their environment and each other. Fragile: Easily broken; delicate. Engineering: The application of scientific and mathematical principles to practical ends; such as the design, manufacture, and operation of structures, machines, processes and systems. Engineer: One who is trained or professionally engaged in a branch of engineering. Mechanical engineer: The engineer who deals the generation and application of heat and mechanical power and the design, production, and use of machines and tools.

Boiler: A strong metallic vessel in which steam is produced for diving engines.

ΙΝΟΕΧ

Abdali 20 Absolute index of refraction 44 Absolute potential energy 22 Absolute temperature 34 Absolute zero 34,46 Absolute uncertainty 13 Absorption **41** Absorption spectrum 38 Acceleration 12,17,30 Accessible 12 Accuracy 13 Acetone 27 Acoustics 38 Acoustical 38 Acrobat 15 Addition of vectors (head-to-tail rule) 15 Adiabat 48 Adiabatic process 47 Aerodynamics 20 Aerodynamic forces 20 Aeroplane **19,28,32** Aeroplane motion 19 Airplanes 35 Aisle 15 Alcohols 14 Algebra 29 Aluminium **14** Amenable 12 Amoeba 20 Amorphous **41** Amphibians 35 Amplifier 36 Amplitude 29,33 Analogy 26 Analyzer 40 Anchor 14 Angle 13 Angular acceleration 16,24 Angular displacement 24 Angular frequency 29 Angular magnification 42 Angular momentum 25 Angular motion 24 Angular velocity 16,24 Antinode 37 Anti-parallel 20 Aorta 28

Aperture 42 Aquifer 23 Arc 24 Arithmetic 29 Arithmetical manipulation 12 Array 40 Artery 28,37 Arteries 28,37 Artificial gravity 25 Artificial satellite 25 Associative law 16 Astride 16 Astronomical telescope 43 Astronomer 38 Astronomy 9,38 Astronaut 38 Astrophysics 10,11 Atomic clock **14** Atomic physics 9 Audio frequencies 43 Audio generator 36 Audio signal 45 Auditory sensation area 34 Average acceleration 18 Average angular velocity 24 Average power 21 Average speed 17 Average velocity 17 Avogadro constant 46 Avogadro's law 46 Avogadro's number 46 Axial 44 Ballistic 20 Ballistic missile 20 Ballistic motion 20 Bandwidth 44 Base quantities 12 Base units 12 Basic colours **14** Bat **34** Battery 50 Beam 39 Beats 36 Benzene 27 Bernoulli effect 28 Bernoulli's equation 28

Biconvex lens 45

Big-bang theory 11

Binomial theorem 34 Biology 9,40 Biological 40 Biological science 9 Biomass energy 22 Biophysics 10,11 Black hole **38** Blood pressure 28 Blue shift 38 Bob 29 Boeing Company 35 Boeing 747 35 Boiler 50 Boyle's law 34,46 Bragg equation 40 British Engineering System 12 Brownian motion 46 Bulk modulus 33 Bunsen burner 14 Cadmium 40 Carburetor 49 Carnot cycle **48** Carnot engine 48 Carnot Theorem **49** Cartesian coordinates 15 Catapult 23 Cathode ray oscilloscope (CRO) 36 Celestial **10,11** Cell **47** Centrifugal force 24 Centripetal acceleration 24 Centripetal force 24 Cesium 14 CGS System 12 Chamber 19 Charles' law 46 Cheeta 17 Chemical physics 10 Chemistry 9 Chip 12 Chord 24 Chromatic aberration 42 Circle 20 Circular motion 24,29 Circular wavefront **39** Cladding 44 Clamp 29

52

Closed system 47 Clutch 25 Coefficient of viscosity 27 Coefficient of volume expansion(β) 34 Coherent 45 Coherent source 39 Cold reservoir 48 Collimator 43 Combustion 23 Communication Satellites **25.26** Commutative law 16 Components of a vector 15 Compound microscope 40,43 Compression 33 Compressional waves 33 Compromise 12 Concave lens 42 Concentric 39 Concentric rings 40 Concord plane 35 Concurrent forces 16 Condition for resonance 31 Cone 35 Configuration 16 Conical surface 35 Conservative field 21 Conservative force 21 Constant velocity 17 Constructive interference 36,39 Converging lens 42 Convex lens 42 Coordinate 15 Coplanar forces 16 Core 44 Cosine θ **30** Cosine formula 11 Cosmic rays 11 Cosmonaut 38 Cosmos 38 Coulomb 13 Crab Nebula 38 Cranium 18 Crank 49 Crankshaft 49 Crest 33.39

Critical angle 44

Critical velocity 25 Cross Product 15 Cross-section 44 Crumple 18 Crystal 40,41 Curvilinear motion 24 Cylinder 47

Dam 22 Damped harmonic oscillator 30 Damped oscillations 31: Damping 31 Deceleration 18 Density 12,27,34,46 Derived quantities 12 Derived units 13 Destructive interference 36,39 Diatomic 34 Diameter 8 Diastolic pressure 28 Dichroic substances 41 Dichroism 41 Diesel 49 Diesel engine 49 Diesel fuel 49 Diffraction 39,40 Diffraction grating 40,43 Digital modulation 45 Dimension 14,18 Dimensional analysis 14 Disc 25 Dispersion 45 Displacement 17,29 Dissipation 31 Distributive law 16 Divergence 26 Diverging lens 42 DNA 41 Dolphin 37 Doppler effect 37 Doppler shift 37 Dot Product 15 Drag 27 Drag force 27 Driven Harmonic oscillator 31 Droplet 27 Duct **28** Dumb-bell 26 Dynamics 17,27 Dynamic equilibrium 16

Ear piece 45 Echo 37,38 Echolocation 37 Eclipse 26 Ecology 50 Ecological balance 50 Efficiency 49 Elastic collision 18 Elastic modulus 14,33 Elastic potential energy 22,30 Elastic spring force **21** Elasticity 29,33 Electric current 12 Electric field 21.32.41 Electric field vector **41** Electric force **21** Electric generator 22 Electric motor **50** Electrical resonance **30** Electricity 9 Electromagnetism 9 Electromagnetic radiation 11,40 Electromagnetic waves 32,37 Electromotive force (e.m.f.) 22 Electronics 10 Electrostatic force **21** Ellipse 20 Elongation **30** Energy 22,32 Engine 48 Engineer 50 Engineering **50** Engineering physics 10 Enthalpy (H) 47 Entropy 50 Environment 47 Environmental crisis 50 Equal vectors 15 Equation of continuity 28 Equilibrium 16 Equilibrium of forces 16 Error 13 Escape velocity 22 Ethanol 27 Ethyl alcohol 27 Evaporation 48 Even **37** Expanding universe 11 Explosion 38

Exquisite 14 Extension of Carnot theorem **49** External combustion engine **50** Eye-piece 43 Falcon 17,35 F-16 35 Fermentation 23 Fertilizer 23 Fibre 44 Fibre optics 44 Fighting Falcon 35 First condition of equilibrium 16 First Law of Motion 18 First law of thermodynamics 47 Fission 21 Fluid 27 Fluid dynamics 27 Fluid friction 27 Fluorescence **50** Fluorescent lamp 50 Flute **37** Flywheel **49** Focal length 42 Focus 42 Force 12 Force of gravitational attraction 21 Forced oscillations **30** Fossil 22 Fossil fuel 22 Four colour scheme 9 Four dimensions **19** FPS System 12 Fractional uncertainty 13 Fragile 50 Free oscillations **30** Frequency 29 Frictional force 21 Fringe **39** Fuel **19** Function of state 47 Fundamental 37 Fundamental frequency 37 Fundamental units 13 Futile **50** Fuzzy 42 Galaxy 11,38

Gas oil 49 Gasoline **49** Gauge 28 General gas law 46 General relativity 9 Generating station 50 Geodesics 26 Geology 9 Geophysics 10 Geostationary orbit 25 Geostationary satellite 25 Geothermal energy 23 Geyser 23 Ghaznavi 20 Ghori Missile 20 Global positioning system 25 Globular protein 28 Glycerine 27 Glycerol 27 Graded index fibre 44 Gradient 17 Gramophone 26 Grating 43 Grating element **40** Grating spectrometer 42 Gravitation 21 Gravitational field 21 Gravitational force 21 Gravitational potential energy 22 Guitar 32,37 Gymnastics 25 Harmonic motion 33 Harmonic oscillator **30** Harmonic series 37 Harmonics 37 Harmony 10 Health physics 11 Heat 9.46 Heat engine **48** Heat & thermodynamics 9 Heat reservoir **48** Height of the projectile 19 Helicopter 19 Helicopter motion **19** Helix 40 Hemoglobin 40 Hertzian waves **11** Homogeneity 14 Homogeneous 14

Hooke's law 29 Hooke's law (modified form) **29** Hoop 25 Horsepower (hp) 22 Hot reservoir **48** Hot springs 23 Hump 32 Huygen's principle **39** Hydal energy 22 Hydrodynamics 9 Hydroelectric plant 22 Hypersonic 35 Hypothesis **46** Hypothetical 44 Ice skating 25 Ideal gas **46** Illumination 44 Image 42 Imaginary image 42 Impulse 18 Impulsive force 18 Incandescence 50 Incandescent **41** Incandescent lamp **50** Inelastic collision **18** Incompressible 27 Inertia 18,33 Information technology (IT) **12** Information satellites 25 Infra-red light 45 Infrasonic 34 Instantaneous acceleration 18 Instantaneous angular velocity 24 Instantaneous displacement 29 Instantaneous power 21 Instantaneous speed 17 Instantaneous velocity 18,30 Integral multiple **39** Intelsat (ITSO) 25 Intensity 45 Interference 36.39 Internal combustion engine 50 Internal energy 47

54

Internal reflection 44 Intrinsic 26 Invariable 12 Iris 42 Irreversible process 48 Isobaric process 48 Isochoric process 48 Isolated system 18,47 Isotherm 47 Isothermal expansion 49 Isothermal process 47

Jerk **32** Jet **19** Jet propulsion **19** Joule **13,21** Jumbo Jet **21, 35**

Kinetic energy 22 Kinetic theory 46 Kinetic theory of gases 46

Laminar flow 27 Land planes 35 Laplace's correction 34 Laser 45 Lava 23 Law 46 Law of conservation of angular momentum 25 Law of conservation of energy 22,27 Law of conservation of mass (in fluids) 27 Law of conservation of linear momentum 18 Law of length 36 Law of mass 36 Law of tension 36 Laws of friction 27 Laws of reflection 44 Laws of transverse vibrations 36 Least distance of distinct vision 42 LED 45 Length 12 Lens 42 Leopard 17 Light 39 Light year 43

Linear magnification 42 Linear momentum 18 Linear motion 17,24 Linear oscillator 30 Liquid hydrogen **19** Liquid oxygen 19 Liquification 48 Locomotive **37** Long ton 21 Longitudinal periodic waves 33 Longitudinal waves 32,33 Luminous 39 Mach number (Ma) 35 Macroscopic state 46 Magma 23 Magnetic field 21,32,41 Magnetic field vector 41 Magnetic flux 10 Magnetism 9 Magneto hydrodynamics (MHD) 10 Magnetron 30 Magnification 42 Magnifying glass 32,42 Magnifying power 42 Mass 12 Matter waves 32 Maxima 39 Mean position 29 Mechanics 9 Mechanical 47 Mechanical engineer 50 Mechanical energy 47 Mechanical equilibrium 49 Mechanical equivalent of heat (J) 47 Mechanical resonance 30 Mechanical waves **32** Mechanical work 47 Medical physics 10 Mercury 14 Mesons 11 Metal mesh 30 Metabolism 47.50 Metalloid 8 Methane 23 Methanol 22,27 Methyl alcohol 22,27 Metric ton **21**

Michelson's interferometer 40 Microphone 36,45 Micrometer screw gauge 13 Microscope 40 Microscopic 46 Microscopic state 46 Microwave 11,30,38 Microwave oven **30** Milky way 38 Millivoltmeter 47 Minima 39 Missile 19 MKS System 12 Modulation 43,45 Modulus of elasticity 14 Molar specific heat 48 Molar specific heat at constant pressure, C_p **34,48** Molar specific heat at constant volume, C_v 34,48 Mole **46** Molecule 11 Molecular physics 9 Moment arm 16 Moment of force 16 Moment of inertia 24 Momentum 18,32 Monitor 47 Mono-atomic 34 Monochromatic 39,45 Mono mode step index fibre 44 Motion 17 Mount Everest 9 Multi layer fibre 44 Multimode graded index fibre 45 Multimode step index fibre 44 Multiplication of a vector by a scalar 15 Music 10,32 Natural frequency **30** Natural period **30** Natural Philosophy 9 Natural science 9 Navigation 26 Nebula 38 Neutrons 11 Newton 13

Newton's formula for the velocity of sound 34 Newton's rings 40 Nobel Laureate/ prize 28 Node 37 Noise 10 Non-conservative force 21 Nova 38 Nuclear energy 23 Nuclear fission 21 Nuclear medicine 10 Nuclear physics 9,11 Nuclear power plant 50 Nuclear reactor 50 Nuclei 11 Nucleon 11 Nucleus 11 Null vector 15 Nut 16 Objective 43 Odd 37 One dimension 19 Optics **9,39** Optical activity **41** Optical center 42 Optical fibre 44 Optical instrument 42 Optically active crystal **41** Orbital angular momentum 24 Orbital velocity 25

Orbital angular momentum 24 Orbital velocity 25 Organ 37 Organ pipe 37 Organic chemistry 41 Organic material 23 Organic substance 41 Organism 47 Oscillation 32 Oscillator 30 Oscillatory motion 29 Oven 30 Overtones 37

Pallet 14 Parabola 20 Parallel 20 Particle physics 10 Pascal 13,28 Pascal's law 46 Peat 27 Pebble 32 Peg 37 Pendulum 30 Percentage uncertainty 13 Percolate 23 Periphery 40 Period of motion 24 Periodic 29 Periodic motion 29.33 Periodic waves 33 Petrol 49 Petrol engine 49 Petroleum 49 Phase **30,39** Phase coherence 36,39,45 Philosophy 9 Photo-current 45 Photodiode **45** Photo electric effect 45 Photo phone 43 Photo voltaic cell 22 Photovoltaic effect 22 Physics 9,11 Physics of music **10** Physical 9 Physical chemistry **11** Physical oceanography 10 Physical optics 39 Physical quantity 12 Physical science 9 Piano 37 Piston 47,49 Pith ball **31** Pivot 24 Plane angle 13 Plane polarized light 41 Plane wavefront **39** Planet **38.43** Plano convex lens **39** Plasma 10 Plasma physics 10 Plasticene **37** Plausible 20 Pluto 14 Polarization (of light) 41 Polarizer **41** Polaroid **41** Polaroid filter **41** Polyatomic 34 Polychromatic 39 Polygon 16 Porpoise 17 Position vector 15

Postulate 46 Potential energy 22 Power (P) 21 Power amplifier **36** Power plant 50 Precision 13,40 Prefix 13 Pressure 28, 46 Primary colours 9 Principal axis 42 Principal focus 42 Principle of homogeneity 14 Principle of superposition of waves 35 Product of two vectors 15 Profile 33 Progressive wave 32 Projectile **19** Projectile motion 19 Prong 38 Propagation 44 Propane 27 Propel 20 Propeller 19 Propulsion 19 Propulsion force **21** Protein 28 Proton 11 Protoplasm 47 Pulsars 38 Pupil 42 Pulse 32 Quantum mechanics 9 Ouartz 41 Radar 32,37 Radar speed trap 32 Radian 13,24 Radio 11,43 Radio astronomy 10 Radio frequencies 43 Radio telescope **10** Radiotherapy 10 Radio waves 11 Radioactive 23 Radioactivity 23 Radioactive decay 23 Random error 13 Range of the projectile 19

56

Rarefaction 33 The ratio (γ) 34 Ray 39 Real gas 46 Real image 42 Rectangular components (of a vector) 15 Rectangular coordinates 15 Rectilinear motion 17,24,29 Red shift 38 Reflection 37.41.42 Reflecting telescope 43 Refraction 40,42 Refractive index 42,44 Relative index of refraction 44 Relative motion 17 Relative refractive index 44 Relative velocity **17,37** Relativistic mechanics 7 Repeater 45 Reservoir 48 Resolving power 42 Resonance **30** Rest 17 Resultant vector 15 Retardation 18 Retina 42 Reversible process 48 Rhythm 33 Rhythmic 33 Right-hand rule (in Vector Product) 15 Rigid body 16,24 Rigidity modulus **33** Rim **40** Ripples 32 Ripple tank 32 Rocket 19 Rocket motion 19 Rocket propulsion 19 Roller coaster 24 Root mean square velocity 17 Rotation 16,47 Rotational equilibrium 16 Rotational kinetic energy 25

Rotational motion **17,24** Rotatory motion **29** Round **13** Rounded off figure **13** Sag **33** Satellite **22,25,38**

Scalars 15 Scalar Product 15 Scalar quantity 15 Scattering **41** Schematic 40 Schematically 40 Science 9 Scientific notation 13 Seaplanes 35 Second condition of equilibrium 16 Second Law of motion 18 Second law of thermodynamics 48 Second's pendulum **30** Semiconductor 12 Semiconductor device 12 Shaft 49 Shaheen Missile 20 Shock absorber **31** Shock waves 32,35 Short ton 21 Significant figures 13 Silicon 12 Simple harmonic motion (SHM) 29 Simple Harmonic oscillator **30** Simple microscope 32,40,42 Simple pendulum 30 Simultaneously 19 Sine curve 33 Sink 40 Sine θ **30** Sine formula 11 Single mode fibre 44 Single mode step index fibre 44 Sinusoidal waveform 29 Sitar 37 Skate 25 Skull 18 Skyscraper 29

SLBM (Submarine launched ballistic missile) 20 Slinky spring 32 Slit 39 Snap 33 Snapshot 33 Sodium chlorate **41** Solar cell 22 Solar eclipse 26 Solar energy 22 Solid angle 13 Solid state laser 50 Solid state physics 9,11 Sonar 38 Sonic barrier 34 Sonic boom 35 Sonometer 36 Sound 9.33 Sound barrier 34 Sound waves 36 Source 48 Space 32 Space physics 10 Space ship 25 Space station 25 Space time curvature 26 Span 16 Spanner 16 Spark plug 49 Special relativity 9 Specific heat 48 Spectrometer 42,43 Spectrum 38,43 Speed 17,28 Speed of light in vacuum 43 Speed and pressure relation 28 Spherical aberration 42 Spherical wavefront **39** Sphygmomanometer 28 Spin angular momentum 24 Spring 23,32 SR-71 (reconnaissance jet) 17 Standing waves **36,37** Star 38,43 Static equilibrium 16 Stationary longitudinal wave 37 Stationary waves 36,37

Steam engine 48 Stepped-index fibre 44 Steradian 13 Stethoscope 28 Stimulate 45 Stokes' law 27 Strain 29 Stress 29 Streamline flow 27 String 32 S.T.P. 34 Stunt 24 Stunt man 24 Sublimation 48 Submarine 38 Subsonic 35 Sugar 41 Super conductivity **10** Super-fluid 10 Super fluidity 10 Supernova 38 Superposition 35,39 Supersonic 34,27 Supersonic plane 34 Supplementary units 13 Surroundings 47 Symbol 9 Synchronization 26 System 47 System International (SI) 12 Systematic error 13 Systolic pressure 28 Tacoma Narrow bridge 31 Tangent 39 Tangent θ **30** Tangential distance 24 Tangential velocity 24 Tar 27 Tartaric acid **41** Technology 43,46 Telescope 10,40,43 Temperature 12,46 Tension 24 Terminal velocity 27 The ratio (γ) : 34 Thermal equilibrium 49 Thermal pollution **50** Thermocouple **47** Thermodynamics 9,46 Thin film 39

Third Law of Motion 18 Third law of thermodynamics 48 Three dimensions 19 Threshold of hearing 34 Threshold of pain 34 Thrust 19 Tidal energy 22 Time 12 Time of flight of projectile 19 Time period 24,29 Ton 21 Torque 16 Torr 28 Torricelli's theorem 28 Total internal reflection 44 Trajectory 17,19 Translational equilibrium 16 Translational motion 17,24 Translatory motion 29 Transmitter 38 Transonic 35 Transverse magnification 42 Transverse mechanical waves 41 Transverse periodic waves 33 Transverse waves 33,41 Travelling waves **32** Tremor 38 Trigonometry 29 Trigonometric functions 30 Trigonometric relations 16 Triple point **49** Trough **33,39** Tuning fork **36** Turbine 22 Turbine generator 22 Turbulent flow 27 Turn table **43** Two dimensions 19 Types of planes **35** Ultrasonic 32,34 Ultrasonic frequency 32

Ultrasonic waves 32

Ultraviolet light 45 Unaided eye **43** Uncertainty 9 Uniform acceleration 18 Uniform speed 17 Uniform velocity 17 Unit **12** Unit vector 15 Universal gas constant 48 Uranium **13. 21** Valve 28,49 Variable acceleration 18 Variable speed 17 Variable velocity 17 Vector 15 Vector Product 15 Vector quantity 15 Vector subtraction 15 Vein 28,37 Velocity **12,17** Venturi-meter 28 Venturi relation 28 Vibration 29,39 Vibrator 33 Vibratory motion 17,29 Viscosity 27 Violin 37 Virtual image 42 Volcano 23 Volcanic region 23 Water waves 32 Watt 13,22 Wave 32 Wavefront **39** Wavelength 33 White light **39** Wind energy 22 Wind mills 22 Wind shield **18** Wobble 18 Work 21,47 Work-Energy Principle 22 X-rays 40 Young's modulus 33 Zeroth law of thermodynamics 47